



Create. Enhance. Sustain. Driven by passion!

# *Safety Equipment & Security Catalogue 2024*

[www.mstella.co.za](http://www.mstella.co.za)  
[info@mstella.co.za](mailto:info@mstella.co.za)



## **ABOUT MStella Projects:**

*MStella Projects is a privately owned company dedicated to fostering true and meaningful partnerships across all industries. We don't limit ourselves – we connect, develop, and grow partnerships that bring value to a diverse range of clients and partners. By delivering effective solutions, we ensure mutual success. A 100% Black Women owned Level 1 B-BBEE accredited company, MStella Projects is established and managed by its founding member, Meghan Smith. Meghan has experience across various industries, leveraging her expertise to cultivate strong partnerships that benefit all involved. Our unique company structure empowers surrounding communities. The partnerships we forge prioritize collaboration and shared success, ensuring a positive impact that extends beyond just business transactions.*

## **OUR MISSION/VISION**

*MStella Projects is a mission-driven company, dedicated to providing high-quality products and solutions across a diverse range of industries. Our focus is on enhancing productivity and efficiency for our clients, while actively contributing to the socio-economic advancement of the communities we serve. Through strategic partnerships and a customer-centric approach, we aim to be your preferred supplier in all industries. We deliver exceptional value and encourage long-term relationships built on trust and excellence*

*MStella Projects strives to be the leading provider of innovative and cost-effective solutions across all industries. Our focus is empowering businesses to achieve peak productivity and sustainable growth. We are committed to promoting development and empowerment within the communities we serve.*



*Create. Enhance. Sustain. Driven by passion!*

[www.mstella.co.za](http://www.mstella.co.za)

# Table of Contents

---

Page	1-2:	Head Protection/ Face Protection Range
Page	3-5:	Eye Protection Range Hearing Protection Range
Page	6-7:	Protection Range
Page	8-10:	Respiratory Protection Range
Page	11-15:	Workwear/Thermal Range
Page	16-17:	General Workwear Range
Page	18-19:	Reflective/Hi-Viz Range Hand Protection Range
Page	20-25:	Foot Protection Range
Page	26-31:	Protection Range Hilsen Fall Arrest Range
Page	32-35:	Disposable Wear
Page	36:	Range First Aid Range Fire
Page	37:	Safety Range Lifting
Page	38:	Equipment Range
Page	39:	Cleaning Materials Range
Page	40:	Vehicle/Road Safety Range
Page	41:	Security Officer Range
Page	42-56:	

## 3M Range

Page	58-77:	3M Range
------	--------	----------



# Head Protection Range



## Safety Hat Code: 100 000

Available in white, dark blue, yellow, orange, red, green or grey  
SABS approved

Box quantity: 20



## Safety Hat with Ratchet Liner Code: 100 005

Available with plastic or webbing harness. Available in white, dark blue, yellow, orange, red or green

SABS approved

Box quantity: 20



## Safety Cap Code: 100 001

Available in white, dark blue, yellow, orange, red, green, grey, pink, hi-viz, black or purple

DME certified

Box quantity: 20



## Safety Cap with Ratchet Liner Code: 100 006

Available in white, dark blue, yellow, orange, red, green, lime, grey, hi-viz or navy blue

DME certified

Box quantity: 20



## Double Crown Safety Hat Code: 100 002

Full brim double crown safety hat with 6-point lining, Available in white, blue, red, orange or green

SABS approved

Box quantity: 20



## Short Brim Safety Cap Code: 100 007

Available in white, blue, red, orange, yellow, green or grey

SABS approved

Box quantity: 20



## Nikki Safety Cap Code: 100 003

Available in white, yellow, orange, red, blue, pink, green or black

SABS approved

Box quantity: 20



## Uvex Pheos Safety Cap Code: 100 008

Industrial peaked safety cap with 6-point ratchet lining. Available in white, yellow, orange, green or blue

SABS approved

Box quantity: 20



## Forestry Helmet Code: 100 004

Industrial peaked safety cap complete with clip on earmuffs, gauze or clear polycarbonate visor

Box quantity: 10



## Bump Cap Code: 100 009

Industrial bump cap with 4 point lining. Available in white, yellow, orange, red, green, navy blue or black

Box quantity: 20

# Face Protection Range



## Bushmaster Face Shield Code: 101 000

Available in polycarbonate or clear lens  
Box quantity: 1



## Aluminium Face Shield Code: 101 005

Short and long aluminium cap and hat attachment face shield holder  
Box quantity: 1



## Foundry Face Shield Code: 101 001

Fibreglass head gear with clear polycarbonate lens  
Box quantity: 1



## Maxi-Guard Face Shield Code: 101 006

25mm elastic headband, 25mm x 30mm cell foam sweat band  
Box quantity: 1



## Medical Face Shield Code: 101 002

Clear face shield, foam head protector, protection against dust and liquids  
Box quantity: 1



## Maxi Face Shield Code: 101 007

Brow guard and headgear, cap and hat clip-on, chemical resistant with clear or green lens  
Box quantity: 1



## Face Shield Code: 101 003

Clear polycarbonate visor, impact resistant, chemical splash isolation with brow guard  
Box quantity: 1



## Premium Face Shield Code: 101 008

Polycarbonate visor, impact resistant, chemical splash isolation and heat resistant. Available in clear or green lens  
Box quantity: 1



## Standard Welding Helmet Code: 101 004

Standard front flip, spare headgear and lens available, adjustable headband  
Box quantity: 1



## Auto-Darkening Welding Helmet Code: 101 009

Solar powered auto-darkening lens, adjustable headgear, replacement protective lens  
ANSI approved  
Box quantity: 1

# Eye Protection Range



## Classic

**Code: 102 000**

Polycarbonate dual lens, anti-fog and scratch resistant. Available in clear or grey lens

EN166 F CE

Box quantity: 12



## Euro

**Code: 102 001**

Polycarbonate mono lens, anti-glare and scratch resistant. Available in clear, grey, green or amber lens

EN166 F CE

Box quantity: 12



## Focus

**Code: 102 002**

Polycarbonate dual lens, anti-fog and scratch resistant. Available in red, blue or yellow frame

EN166 F CE

Box quantity: 12



## Maxi-View

**Code: 102 003**

Indirect ventilation system, compatible with respiratory equipment, anti-fog and scratch resistant lens

EN166 3, 4, 9, FN

Box quantity: 12



## Wildland

**Code: 102 004**

Fire resistant polycarbonate lens with anti-scratch and anti-fog visibility

NFPA 1977:2016

Box quantity: 12



## Sporty

**Code: 102 005**

Polycarbonate mono lens, anti-scratch and anti-glare. Available in clear, grey, green or amber lens

EN166 F CE

Box quantity: 12



## Euro-Weld

**Code: 102 006**

Polycarbonate mono lens, compatible with respiratory equipment, scratch resistant.

EN166 F CE

Box quantity: 12



## Spoggle

**Code: 102 007**

Inner attachment for prescription lens, polycarbonate mono lens, compatible with respiratory equipment.

EN166 F CE

Box quantity: 12



## Wide-Vision

**Code: 102 008**

Clear polycarbonate mono lens, indirect dual ventilation, high quality polyvinyl chloride frame

EN166 FCE

Box quantity: 12



## Welding

**Code: 102 009**

Polycarbonate mono lens, indirect ventilation system, anti-scratch and anti-mist lens

EN175:1997

Box quantity: 12

# Eye Protection Range



**Classic**  
**Code: 102 010**

Anti-glare, anti-fog and scratch resistant lens. Available in clear or grey lens

EN166 F

Box quantity: 12



**Classic Spoggle**  
**Code: 102 015**

Polycarbonate lens, helmet/ bump cap can be worn, scratch proof and anti-fog lens. Available in clear or grey lens

EN166 F

Box quantity: 12



**SP Spoggle**  
**Code: 102 011**

Scratch proof and anti-fog interior, polycarbonate lens with a wide range of vision

EN166 F

Box quantity: 12



**Euro-Spec**  
**Code: 102 016**

Polycarbonate mono lens, fits with respiratory equipment, anti-glare and scratch resistant. Available in clear, grey, green or amber lens

EN166 F

Box quantity: 12



**Laser**  
**Code: 102 012**

Polycarbonate lens, anti-fog, anti-glare and scratch resistant. Available in clear or grey lens

EN166 F

Box quantity: 12



**O-Vision**  
**Code: 102 017**

Polycarbonate frame and lens, soft nose seat, scratch resistant. Available in grey, amber, clear or green lens

EN166 F

Box quantity: 12



**Sporty Anti-Fog**  
**Code: 102 013**

Polycarbonate mono lens, anti-fog, anti-glare and scratch resistant. Available in clear or amber lens

EN166 F

Box quantity: 12



**Wrap-Around**  
**Code: 102 018**

Polycarbonate mono lens and temples with ventilation, compatible with prescription glasses. Available in clear, green or amber lens

EN166 F

Box quantity: 12



**Indirect Vent**  
**Code: 102 014**

Indirect dual ventilation system, scratch resistant and anti-fog

EN166 F

Box quantity: 12



**Brazing/Welding**  
**Code: 102 019**

Shade 5 lens, indirect ventilation system, compatible with respiratory equipment

Box quantity: 12

# Eye Protection Range



## **i-Guard Spectacles** **Code: 102 020**

Anti-fog and scratch resistant polycarbonate lens, metal-free. Available in anthracite or blue

EN 166

Box quantity: 12



## **SuXXeed Safety Glasses** **Code: 102 021**

Anti-fog and scratch resistant polycarbonate lens, metal-free. Available in anthracite and blue

EN 166

Box quantity: 12



## **i-Lite Safety Glasses** **Code: 102 022**

Anti-fog and scratch resistant polycarbonate lens, metal-free. Available in anthracite or blue

EN 166

Box quantity: 12



## **Pheos CX2 Spectacles** **Code: 102 023**

Compatible with bump caps, hard hats and ear defenders. Anti-fog scratch and chemical resistant. Available in black or light blue

EN 166

Box quantity: 12



## **Astrospec 2.0 Spectacles** **Code: 102 024**

Anti-fog interior, scratch and chemical resistant exterior, panoramic polycarbonate lens, ventilation system

EN 166

Box quantity: 12



## **i-Guard + Goggles** **Code: 102 025**

Anti-fog and scratch resistant polycarbonate lens, metal-free. Available in anthracite or blue

EN 166

Box quantity: 12



## **X-Fit Safety Spectacles** **Code: 102 026**

Anti-fog, scratch resistant, chemical resistant, hinged side-arm design

EN 166

Box quantity: 12



## **Sportsyle Spectacles** **Code: 102 027**

Featherlite, anti-fog interior, adjustable nose piece, polycarbonate lens. Available in black or petrol

EN 166

Box quantity: 12



## **Pheos Guard Spectacles** **Code: 102 028**

Duo-spherical lens, metal-free, adapted headband, scratch-proof interior, anti-scratch exterior, compatible with hard hats and bump caps

EN 166

Box quantity: 12



## **i-VO Spectacles** **Code: 102 029**

Anti-fog interior, scratch and chemical resistant, soft components for comfort. Available in blue or orange

EN 166

Box quantity: 12



Create. Enhance. Sustain. Driven by passion!



# Hearing Protection Range



## Disposable Earplugs Code: 103 000

Smooth foam, PU coated for hygiene, high visibility  
CE EN 352-2

Box quantity: Per pair



## Corded Reusable Earplugs Code: 103 005

Detachable chord, easy to insert. Suitable for steel cutting, grinding and machinery

CE EN 352-2

Box quantity: Per pair



## Detectable Reusable Earplugs Code: 103 001

Lightweight, waterproof, comfortable in humid areas, detachable cord

CE EN 352-2

Box quantity: Per pair



## Disposable Corded Earplugs Code: 103 006

Soft foam, high visibility, expands to fit ear, excellent attenuation

CE EN 352-2

Box quantity: Per pair



## Boxed Reusable Earplugs Code: 103 002

Detachable cord, easy to insert, high visibility  
CE EN 352-2

Box quantity: Per pair



## Banded Reusable Earplugs Code: 103 007

Detachable cord, easily insertable, high visibility  
CE EN 352-2

Box quantity: Per pair



## Blue Corded Reusable Earplugs Code: 103 003

Detachable cord, easily insertable, high visibility  
CE EN 352-2

Box quantity: Per pair



## Interex Earmuffs Code: 103 008

Twin point mounted cups, easily attachable, compatible with hard hats, adjustable cups

CE EN 352-3

Box quantity: 1



## Classic Extreme Earmuffs Code: 103 004

Twin point mounted cups, long periods of hearing protection, large cups with foam cushions

CE EN 352-1

Box quantity: 1



## Bushmaster with Visor Code: 103 009

Twin point mounted cups, long periods of hearing protection, adjustable visor

CE EN 352-1

Box quantity: 1

# Hearing Protection Range



## **Corded Disposable Earplugs** **Code: 103 010**

PU foam material, standard noise reduction levels  
CE EN 352-2  
Box quantity: Per pair



## **Corded Reusable Earplugs** **Code: 103 015**

Corded silicone earplugs, blue and orange for good visibility  
CE EN 352-2  
Box quantity: Per pair



## **Corded Reusable Earplugs** **Code: 103 011**

Reusable corded earplugs, four flange TPR earplug, high visibility colour  
CE EN 352-2  
Box quantity: Per pair



## **Foam Earplugs** **Code: 103 016**

Individually packed, universal fit, high visibility, optimal expansion rate for comfort  
CE EN 352-2  
Box quantity: Per pair



## **Hi-Viz Bullet Earplugs** **Code: 103 012**

High visibility green and blue earplugs  
CE EN 352-2  
Box quantity: Per pair



## **Earmuffs** **Code: 103 017**

Polycarbonate earmuffs, foam filled cushions. Available in blue or red  
EN 352-1  
Box quantity: 1



## **Over-Ear Earmuffs** **Code: 103 013**

Economic style, plastic cups with foam liner and foam cushions, plastic headband  
EN 352-1  
Box quantity: 1



## **Over-Head Earmuffs** **Code: 103 018**

ABS cups with foam liner and foam filled cushions for comfort and noise protection, metal headband  
EN 352-1  
Box quantity: 1



## **Over-Head Earmuffs** **Code: 103 014**

Plastic cups with foam liner and foam cushions, folding headband for practicality  
EN 352-1  
Box quantity: 1



## **Sonic Defender Earmuffs** **Code: 103 019**

Twin mounted self-adjusting cups, can be worn with a safety helmet  
EN 352-1 Box quantity: 1

# U-MASK Range



## FFP2 Econo 2001 Code: 104 000

Protection against solid and liquid non-volatile particles  
EN149:2001

Box quantity: 20



## FFP2 Premium Valved 9201 Code: 104 005

Protection against solid and liquid non-volatile particles with exhalation valve

EN149:2001

Box quantity: 15



## FFP2 Econo Cup Style 3001 Code: 104 001

Protection against solid and liquid non-volatile particles  
EN149:2001

Box quantity: 20



## FFP2 Premium 5000 Code: 104 006

Protection against solid and liquid non-volatile particles with fluid resistant outer layer

EN149:2001

Box quantity: 20



## FFP2 Premium Carbon Valved Code: 104 002

Protection against solid and liquid non-volatile particles with exhalation valve and activated carbon media

EN149:2001

Box quantity: 5



## FFP2 Econo Valved 2002 Code: 104 007

Protection against solid and liquid non-volatile particles with exhalation valve

EN149:2001

Box quantity: 15



## FFP2 Premium Carbon Valved 9202 Code: 104 003

Protection against solid and liquid non-volatile particles with exhalation valve and activated carbon media

EN149:2001

Box quantity: 15



## FFP2 Premium 9200 Code: 104 008

Protection against solid and liquid non-volatile particles

EN149:2001

Box quantity: 20



## FFP3 Premium Valved 9300 Code: 104 004

Protection against solid and liquid non-volatile particles with exhalation valve

EN149:2001

Box quantity: 15



## FFP2 Pro Welder 9400 Code: 104 009

Protection against solid and liquid non-volatile particles with exhalation valve and activated carbon media

EN149:2001

Box quantity: 5

# Respiratory Protection Range



## Airmaxx Disposable Dust Mask FFP2 Code: 104 010

Polyester respirator with adjustable nose clip, protection against solid and liquid aerosols

EN149:2001

Box quantity: 20



## Airmaxx Disposable Valved Dust Mask FFP2 Code: 104 015

Polyester respirator with adjustable nose clip, protection against solid and liquid aerosols

EN149:2001

Box quantity: 12



## Airmaxx Disposable Active Carbon Mask FFP2 Code: 104 011

Rubber exhalation valve with 5-layer non-woven polyester, protection against welding fumes and dust

EN149:2001

Box quantity: 12



## Airmaxx Disposable Mask FFP1 Code: 104 016

Aluminium nose clip, latex free head straps, protection against dust and solid/liquid aerosols

EN149:2001

Box quantity: 20



## FFP2 Disposable Valved Mask Code: 104 012

Inner foam seal with adjustable head straps with plastic valve

EN149:2001

Box quantity: 20



## FFP2 Disposable Mask Code: 104 017

Inner foam seal with adjustable head straps

EN149:2001

Box quantity: 20



## KN95 Disposable Mask Code: 104 013

Non-woven, eco-friendly, comfortable, lightweight, easy breathing

GB2626:2006

Box quantity: 25



## FFP1 Disposable Mask Code: 104 018

Aluminium nose clip, foam nose seal, suitable for cutting, sanding and drilling

EN149:2001

Box quantity: 20



## Airtech FFP2 Disposable Mask Code: 104 014

Lightweight and easy to fit disposable mask with comfortable breathing

EN149:2001

Box quantity: 20



## FFP3 Dust Mask/Valved Code: 104 019

Inner foam seal, adjustable head straps, plastic valve reducing hot air build up

EN149:2001 Box quantity: 10

# RESPIRATORY RANGE PROTECTION CHART



Create. Enhance. Sustain. Driven by passion!



Basic protection against  
non-toxic  
solid and liquid particles

**4X VALUE**

**FFP1**

Intermediate protection against  
hazardous and harmful vapor  
and  
smoke particles

**10X VALUE**

**FFP2**

High protection against  
poisonous  
particles, vapor and smoke, solid  
and liquid aerosols

**30X VALUE**

**FFP3**

# Face Masks & Cartridges



## Twin Half Mask Code: 105 000

Deep face mould with efficient exhalation and adjustable head strap, quick release toggle

NRCS AZ2011/46

Box quantity: 1



## Full Face Mask Code: 105 005

Polycarbonate, anti-fog and impact-resistant visor, adjustable head harness and exhalation valve

Box quantity: 1



## PVC Twin Half Mask Code: 105 001

Deep face mould with soft PVC and a quick release toggle

SNRCS AZ2011/45

Box quantity: 1



## Single Half Mask Code: 105 006

Deep face mould with soft PVC and a quick release toggle

NRCS AZ2011/43

Box quantity: 1



## Twin B1 Unfit Filter Code: 105 002

Valve replaced with every filter, inorganic gases

EN14387:2004

Box quantity: 1



## Twin P3 Unfit Filter Code: 105 007

Valve replaced with every filter, particle gases

EN143:2000

Box quantity: 1



## Twin Abek1 Unfit Filter Code: 105 003

Valve replaced with every filter, organic, inorganic, acid and ammonia gases

EN14387:2004

Box quantity: 1



## Single A1 Unfit Filter Code: 105 008

Valve replaced with every filter, organic gases

EN141:2000

Box quantity: 1



## Single P2 Unfit Filter Code: 105 004

Valve replaced with every filter, particle gases

EN143:2003

Box quantity: 1



## Twin A1 Unfit Filter Code: 105 009

Valve replaced with every filter

EN14387:2004

Box quantity: 1

# Vulcan Workwear Range



## Vulcan Standard Conti Suit Code: 106 000

Standard polycotton conti suit.  
Available in blue, green, grey,  
orange, red or black

SABS approved

Box quantity: 1



## Vulcan Superior Conti Suit Code: 106 003

Superior quality polycotton conti  
suit. Available in blue, green, grey,  
orange or red.

SABS approved

Box quantity: 1



## Vulcan J54 Conti Suit Code: 106 001

100% cotton J54 conti suit.  
Available in blue or navy blue  
YKK approved

Box quantity: 1



## Vulcan Econo Conti Suit Code: 106 004

Standard polycotton conti suit  
with reflective tape. Available in  
orange or blue

SABS approved

Box quantity: 1



## Vulcan Denim Conti Suit Code: 106 002

Standard denim conti suit with  
triple stitching  
SABS approved

Box quantity: 1



## Vulcan D59 Flame Jacket/ Trousers Code: 106 005

D59 premium Flame Fabric,  
industrial hi-viz tape, premium  
brass zips, flame retardant

Box quantity: 1 jacket or trousers

# Vulcan Workwear Range



## Vulcan D59 Flame and Acid Jacket/Trousers

**Code: 106 006**

Sasol spec flame retardant and acid resistant jacket or trousers  
SABS approved

Box quantity: 1 jacket or trousers



## Vulcan Superior Conti Suit

**Code: 106 009**

Superior quality polycotton conti suit. Available in blue, green, grey, orange or red.

SABS approved

Box quantity: 1



## Vulcan 12.4 cal Du Pont Arc Jacket/Trousers

**Code: 106 007**

12.4 cal rated Du Pont jacket or trousers  
NFPA 2112, NFPA 70E Cat 2

Box quantity: 1 jacket or trousers



## Vulcan Du Pont Nomex Jacket/Trousers

**Code: 106 010**

Flame retardant jacket or trousers made from Du Pont Nomex fabric  
NFPA 2112, NFPA 70E

Box quantity: 1 jacket or trousers



## Vulcan 80/20 Acid Suit

**Code: 106 008**

205GSM fabric, YKK zip, providing protection against acid splashes  
SABS approved

Box quantity: 1



## Vulcan Hi-Viz Work Jacket/Trousers

**Code: 106 011**

SANS434 comfy fit, YKK zip, heavyweight hi-viz fabric, fully triple stitched

Box quantity: 1 jacket or trousers



# Javlin Workwear Range



## Javlin Reflective Conti Suit Code: 107 000

Standard J54 conti suit with reflective tape. Available in black, grey, blue, red or orange

SABS approved

Box quantity: 1



## Javlin Denim Conti Suit Code: 107 005

Stone washed denim conti suit with triple needle stitching  
SABS approved

Box quantity: 1



## Javlin Hi-Viz Construction Conti Suit Code: 107 001

Reflective tape, triple needle stitching. Available in blue or red

Box quantity: 1



## Javlin Two Tone Polycotton Conti Suit Code: 107 006

Polycotton material with pockets, triple needle stitched to increase durability

Box quantity: 1



## Javlin Acid Resistant Conti Suit Code: 107 002

Polycotton material made to SABS spec, tripled needle stitched. Available in green or blue

SABS approved

Box quantity: 1



## Javlin D59 Conti Jacket Code: 107 007

Flame retardant conti jacket, triple needle stitched for durability  
SABS approved

Box quantity: 1



## Javlin Polycotton Boiler Suit Code: 107 003

Polycotton material, manufactured to SABS spec, triple needle stitched. Available in blue or white

SABS approved

Box quantity: 1



## Javlin Reflective Boiler Suit Code: 107 008

100% cotton with reflective tape and triple needle stitching  
SABS approved

Box quantity: 1



## Javlin SABS Boiler Suit Code: 107 004

Flame retardant and acid retardant with reflective tape  
SABS approved

Box quantity: 1



## Javlin Dust Coat Code: 107 009

Polycotton material. Available in blue, green, grey, red or white

Box quantity: 1

# Jonsson Workwear Range



## Jonsson Versatex Jacket Code: 108 000

Made from Versatex polycotton. Available in red, blue, black, green, khaki, grey or orange

Box quantity: 1



## Jonsson Versatex Trousers Code: 108 005

Made from Versatex polycotton. Available in red, blue, black, green, khaki, grey or orange

Box quantity: 1



## Jonsson Versatex Reflective Jacket Code: 108 001

Made from Versatex polycotton with reflective tape for visibility

Box quantity: 1



## Jonsson Versatex Reflective Trousers Code: 108 006

Made from Versatex polycotton with reflective tape for visibility

Box quantity: 1



## Jonsson 100% Cotton Jacket Code: 108 002

Comfortable and breathable with side slits for comfortable movement. Available in blue or navy blue

Box quantity: 1



## Jonsson 100% Cotton Trousers Code: 108 007

Comfortable and breathable with elastic in the waistband for comfortable movement. Available in blue or navy blue

Box quantity: 1



## Jonsson Flame Retardant Jacket Code: 108 003

Chemically treated to resist heat and sparks, reflective tape for visibility. Available in green or navy blue

SABS approved

Box quantity: 1



## Jonsson Flame Retardant Trousers Code: 108 008

Chemically treated to resist heat and sparks, reflective tape for visibility. Available in green or navy blue

SABS approved

Box quantity: 1



## Jonsson Acid Resistant Jacket Code: 108 004

Chemically treated to repel acid and oil splashes, reflective tape for visibility

Box quantity: 1



## Jonsson Acid Resistant Trousers Code: 108 009

Chemically treated to repel acid and oil splashes, reflective tape for visibility

Box quantity: 1



Create. Enhance. Sustain. Driven by passion!

# Freezer & Thermal Range



## Hi-Viz Freezer Jacket Code: 109 000

Water resistant, heavy duty lining and padding, reflective tape. Available in hi-viz orange or yellow.

Box quantity: 1



## Reflective Freezer Jacket Code: 109 005

Water resistant, heavy duty padding and lining, reflective tape. Available in black and navy blue.

Box quantity: 1



## Reflective Freezer Trousers Code: 109 001

Water resistant, heavy duty lining and padding, reflective tape. Available in black or navy blue.

Box quantity: 1



## Freezer Jacket Code: 109 006

Water resistant, heavy duty lining and padding, elasticated cuffs. Available in black or navy blue

Box quantity: 1



## 1-Piece Freezer Suit Code: 109 002

Water resistant, heavy duty padding and lining, elasticated cuffs, 2 slanted pockets

Box quantity: 1



## Long Sleeve Thermal Shirt Code: 109 007

65/35 polycotton long sleeve round neck thermal shirt. Available in black or white

Box quantity: 1



## Thermal Long John Pants Code: 109 003

65/35 polycotton thermal long john pants, available in black or white

Box quantity: 1



## Women's Thermal Long Johns Code: 109 008

65/35 polycotton thermal long johns designed for women. Available in black or white

Box quantity: 1



## Women's Thermal Long Top Code: 109 004

65/35 polycotton thermal long top designed for women. Available in black or white

Box quantity: 1



## Freezer Socks Code: 109 009

100% acrylic freezer socks made for heat retention

Box quantity: 1

# MEN WORKWEAR

## SIZING CHART



SIZE:	XS	S	M	L	XL	2XL	3XL	4XL					
CHEST CM:	72-77	82-87	92-97	102-107	112-117	122-127	132-137	142-147					
CHEST INCHES:	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58					
SIZE:	28	30	32	34	36	38	40	42	44	46	48	50	52
WAIST CM:	72	77	82	87	92	97	102	107	112	117	122	127	132
WAIST INCHES:	28	30	32	34	36	38	40	42	44	46	48	50	52



# LADIES WORKWEAR

## SIZING CHART

SIZE:	XS	S	M	L	XL	2XL	3XL	4XL
BUST CM:	74-79	84-89	94-99	104-109	114-119	124-129	134-139	144-149
BUST INCHES:	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58

SIZE:	28	30	32	34	36	38	40	42	44	46	48	50
WAIST CM:	59	64	69	74	79	84	89	94	99	104	109	114
WAIST INCHES:	23	25	27	29	31	33	35	37	39	41	43	45
HIPS CM:	84	89	94	99	104	109	114	119	124	129	134	139
HIPS INCHES:	33	35	37	39	41	43	45	47	49	51	53	55

# Jonsson General Workwear Range



**Jonsson Cotton Long Sleeve Shirt**  
**Code: 110 000**

Available in white, light blue, black, olive green, khaki, navy blue or red  
Box quantity: 1



**Jonsson Legendary Long Sleeve Shirt**  
**Code: 110 005**

Breathable short sleeve work shirt with reflective tape. Available in yellow and blue or orange and blue  
Box quantity: 1



**Jonsson Check Short Sleeve Shirt**  
**Code: 110 001**

Available in check black, check navy blue and check light blue  
Box quantity: 1



**Jonsson Short Sleeve Cotton Shirt**  
**Code: 110 006**

Available in white, light blue, black, olive green, navy blue, red or grey  
Box quantity: 1



**Jonsson Legendary Short Sleeve Shirt**  
**Code: 110 002**

Available in check blue, check khaki, check turquoise or check red  
Box quantity: 1



**Jonsson Flat Front Chino**  
**Code: 110 007**

High visibility work shirt with a vented back. Available in orange and navy or yellow and navy  
Box quantity: 1



**Jonsson Heavy Duty Trousers**  
**Code: 110 003**

Available in navy blue, khaki, dark grey or olive green  
Box quantity: 1



**Jonsson Ripstop Trousers**  
**Code: 110 008**

Available in navy blue, light brown, khaki, olive green or black  
Box quantity: 1



**Jonsson Versatex Cargo Pants**  
**Code: 110 004**

Available in dark grey, navy blue, olive green and khaki  
Box quantity: 1



**Jonsson Versatex Chino**  
**Code: 110 009**

Available in black, khaki, navy blue and light grey  
Box quantity: 1

# Javlin General Workwear Range



**Javlin Long Sleeve Work Shirt**  
**Code: 111 000**

Regular fit long sleeve shirt.  
Available in blue or white  
Box quantity: 1



**Javlin Ituri Cargo Pants**  
**Code: 111 005**

Available in khaki or olive green  
Box quantity: 1



**Javlin Kariba Cargo Pants**  
**Code: 111 001**

Available in khaki, olive green or brown  
Box quantity: 1



**Javlin Journey Chino**  
**Code: 111 006**

Available in khaki or brown  
Box quantity: 1



**Javlin Trailblazer Cargo Pants**  
**Code: 111 002**

Available in khaki, olive green or brown  
Box quantity: 1



**Platinum T-Shirt**  
**Code: 111 007**

Available in black, red, green, dark grey, light grey or white  
Box quantity: 1



**Lightweight T-Shirt**  
**Code: 111 003**

Available in black, grey, lime green, navy blue, orange, red, yellow or white  
Box quantity: 1



**Heavyweight T-Shirt**  
**Code: 111 008**

Available in pink, black, green, brown, navy blue, orange, red, purple, yellow or white  
Box quantity: 1



**Dry Fit T-Shirt**  
**Code: 111 004**

Available in black, navy blue, orange, light blue, white or yellow  
Box quantity: 1



**Dry Fit Golf Shirt**  
**Code: 111 009**

Available in black, navy blue, red, light blue or white  
Box quantity: 1

# Reflective Work Shirts/Bunny Jackets



## Jonsson Long Sleeve Work Shirt

**Code: 112 000**

High visibility long sleeve work shirt. Available in yellow and blue or orange and blue

Box quantity: 1



## Jonsson Short Sleeve Work Shirt

**Code: 112 005**

Breathable short sleeve work shirt with reflective tape. Available in yellow and blue or orange and blue

Box quantity: 1



## Jonsson Versatex Lite Work Shirt

**Code: 112 001**

Comfortable high visibility work shirt. Available in blue and charcoal, orange and blue or yellow and blue

Box quantity: 1



## Jonsson Vented Work Shirt

**Code: 112 006**

High visibility work shirt with cotton vents. Available in orange and blue or yellow and blue

Box quantity: 1



## Javlin Long Sleeve Work Shirt

**Code: 112 002**

High visibility work shirt with reflective tape. Available in blue and navy, orange and navy or yellow and navy

Box quantity: 1



## Javlin Vented Work Shirt

**Code: 112 007**

High visibility work shirt with a vented back. Available in orange and navy or yellow and navy

Box quantity: 1



## Javlin Vented Work Shirt

**Code: 112 003**

High visibility work shirt with a vented back. Available in orange and navy or yellow and navy

Box quantity: 1



## Javlin Two-Tone Golfer

**Code: 112 008**

Breathable with quick dry fabric, contrasting collar and bottom panel. Available in orange and navy or lime and navy

Box quantity: 1



## Viz-Pro Bunny Jacket

Waterproof fabric with polyester padding, reflective tape and zip-off sleeves. Available in black, blue, orange and hi-viz lime

Box quantity: 1



## Viz-Pro Bunny Jacket

Waterproof fabric with polyester padding, reflective tape and zip-off sleeves. Available in black, orange, blue or hi-viz lime

Box quantity: 1



# Reflective Bibs & Waist Coats



## Signalling Vest Code: 113 000

High visibility vest with a nylon zip. Available in lime, red, pink, blue or orange

ISO20471:2013

Box quantity: 1



## Signalling Vest Code: 113 005

High visibility vest with reflective tape and polyester mesh. Available in lime or orange

EN149:2001

Box quantity: 1



## LED Light Reflective Vest Code: 113 001

High visibility vest with LED lights and Velcro for adjustments, batteries not included

Box quantity: 1



## Adjustable Reflective Vest Code: 113 006

Five way adjustable high visibility vest with Velcro attachments  
EN149:2001

Box quantity: 1



## Reflective Mesh Bib Code: 113 002

High visibility vest with polyester mesh and reflective tape. Available in orange or lime

EN:20471

Box quantity: 1



## Reflective Solid Bib Code: 113 007

High visibility vest with polyester mesh and reflective tape. Available in lime or orange

EN:20471

Box quantity: 1



## Reflective Premium Bib Code: 113 003

High visibility, heavy duty lime bib with reflective tape

Box quantity: 1



## Reflective Tape 100m Code: 113 008

Orange hi-viz reflective tape in a 100m roll.

Box quantity: 50



## Reflective Tape 100m Code: 113 004

Lime hi-viz reflective tape in a 100m roll

Box quantity: 50



## Reflective Tape 200m Code: 113 009

Silver reflective tape in a 200m roll or 50m roll. Available in silver or hi-viz lime

Box quantity: 10



# Coated Handling Glove Range



## Latex Splendor Code: 114 000

Good for general handling in wet or dry areas, natural rubber with a crinkle finish



## Guardian Angel Nitrifoam Dipped Glove Code: 114 005

Oil resistant, high flexibility, abrasion protection and good grip

Box quantity: By pair



## Guardian Angel Dipped PVC Crayfish Glove Code: 114 001

PVC dipped cotton glove ideal for handling items that may puncture  
Box quantity: By pair



## Guardian Angel Dipped Rubber Latex Glove Code: 114 006

Natural rubber dipped glove, crinkle finish, fleece lined with knit cuff or safety cuff

Box quantity: By pair



## Dipped Crayfish Glove Code: 114 002

Durable with excellent grip, cotton lined and dipped in rubber  
Box quantity: By pair



## Dipped PU Coated Glove Code: 114 007

Smooth PU coating for excellent grip in general handling use  
Box quantity: By pair



## Dipped Green Latex Glove Code: 114 003

Latex coated general handling glove with excellent grip, cotton lined knit wrist

Box quantity: By pair



## Dipped Tru Touch Glove Code: 114 008

Rough nitrile coating for excellent grip in general handling use  
Box quantity: By pair



## Dipped Saracen Glove Code: 114 004

Anti-grip coating, re-enforced palm and thumb, for construction and mining

Box quantity: By pair



## Splendor Lite Dipped Glove Code: 114 009

Excellent grip for dry or wet conditions, suitable for tire fitment, agriculture, floor tiling and carpentry

Box quantity: By pair

# Coated Cut Resistant Glove Range



## Guardian Angel Cut Resistant Glove Code: 114 010

High cut resistance and abrasion resistance, heat resistant with good grip and air circulation

Box quantity: By pair



## Tru Touch Cut 5 Glove Code: 114 015

Excellent comfort and durability, Nylon inner and double dipped PU coating for good grip

Box quantity: By pair



## Cut 5 Nitrile Glove Code: 114 011

Nylon and Dyneema cut 5 inner with a double dipped nitrile exterior  
Box quantity: By pair



## Cut Force Glove Code: 114 016

High cut protection, heat resistant, perspiration absorbent with knuckle and finger protection

Box quantity: By pair



## Kevlar/Cotton Cut Resistant Glove Code: 114 012

Cut resistant Kevlar with good handling and air circulation  
Box quantity: By pair



## Heat Cut Single Kevlar Glove Code: 114 017

Heat and abrasion protection with high performance Kevlar  
Box quantity: By pair



## Heat Cut Kevlar Glove Code: 114 013

Heat and abrasion protection with high performance Kevlar for cut resistance

Box quantity: By pair



## Cutmaster Volcano Code: 114 018

Excellent grip properties, high flexibility and comfort, cut resistance level 5

Box quantity: By pair



## PU Ultracut 5 Glove Code: 114 014

High cut protection and excellent flexibility with smooth PU coating on palm

Box quantity: By pair



## Kevlar/Cotton Cut Resistant Glove Code: 114 019

High cut resistance and flame resistance

Box quantity: By pair

# Leather Glove Range



## Blue Lined Leather Glove Code: 114 020

Leather glove with blue lining and yellow palm  
Box quantity: By pair



## Mustard Yellow Leather Glove Code: 114 025

Leather glove with mustard yellow and green lining  
Box quantity: By pair



## Heat Resistant Leather Glove Code: 114 021

Pink leather glove made for heat resistance  
Box quantity: By pair



## Heat Resistant Leather Glove Code: 114 026

Red leather glove made for heat resistance  
Box quantity: By pair



## Leather Lined Welding Glove Code: 114 022

Leather lined glove made for welding safety  
Box quantity: By pair



## Leather Reinforced Welding Glove Code: 114 027

Leather glove made for excellent protection while welding  
Box quantity: By pair



## Leather Tig Welding Glove Code: 114 023

14-inch welding glove with an extended goatskin cuff  
Box quantity: By pair



## Leather Goatskin Glove Code: 114 028

Goatskin welding glove with excellent fingertip sensitivity  
Box quantity: By pair



## Chrome Leather Striped Glove Code: 114 024

Chrome leather glove accented with candy stripes, good for handling  
Box quantity: By pair



## Chrome Leather Apron Gloves Code: 114 029

Chrome leather apron palm welding gloves. Available in 2.5 inch or 8 inch.  
Box quantity: By pair

# PVC Chemical Glove Range



## Blue Nitrile PVC Glove Code: 114 030

Excellent grip for use in oily and wet environments with a single dip coating

Box quantity: By pair



## Green Nitrile Chemical Glove Code: 114 035

PVC glove providing protection against acids, bases and solvents

Box quantity: By pair



## Knit Wrist PVC Glove Code: 114 031

Green PVC reinforced glove for good grip and handling

Box quantity: By pair



## Open Cuff PVC Glove Code: 114 036

Green PVC reinforced glove for good grip and handling

Box quantity: By pair



## Heavy-Duty PVC Glove Code: 114 032

Smooth finish, excellent abrasion and tear resistance, for both wet and dry application. Available in 35cm or 40cm.

Box quantity: By pair



## Open Cuff PVC Glove Code: 114 037

Red PVC glove made for good handling and protection

Box quantity: By pair



## Sandy Finish PVC Glove Code: 114 033

Sandy finish PVC open cuff glove for handling and slip protection

Box quantity: By pair



## Double Dipped PVC Glove Code: 114 038

Elbow length PVC glove for increased protection and good general handling

Box quantity: By pair



## Black Chip PVC Glove Code: 114 034

Designed for increased grip in general manufacturing with knit wrist and cotton lining

Box quantity: By pair



## Extra Heavyweight PVC Glove Code: 114 039

Designed for extra grip and protection in general manufacturing. Available in knit cuff, open cuff or elbow length

Box quantity: By pair

# Cotton Glove Range



## Double Dotted Cotton Glove Code: 114 040

Machine knitted for comfort and protection, grip assistance with knitted cuff

Box quantity: By pair



## Cotton Glove Code: 114 045

Cotton blend knitted glove for hand protection and general maintenance

Box quantity: By pair



## Cotton Glove Code: 114 041

Knitted wrist glove with good comfort and protection for general maintenance

Box quantity: By pair



## Cotton Glove Code: 114 046

800GM cotton glove, comfortable and lightweight with superior dexterity

Box quantity: By pair



## Cotton Glove Code: 114 042

450GM cotton glove, comfortable and lightweight with superior dexterity

Box quantity: By pair



## Cotton Towelling Glove Code: 114 047

40cm cross knitted towelling glove for light duty protection

Box quantity: By pair



## Cotton Lined Glove Code: 114 043

Light abrasion protection suitable for all industries

Box quantity: By pair



## Grey Cotton Glove Code: 114 048

Light abrasion protection suitable for all industries

Box quantity: By pair



## Cotton Polka-Dot Glove Code: 114 044

Lightweight and comfortable cotton glove with PVC dotted palm for extra grip

Box quantity: By pair



## Taiwan Crochet Lined Cotton Glove Code: 114 049

Light abrasion protection with good air circulation for comfort

Box quantity: By pair



# Disposable Glove Range



## Golden Hands Black Nitrile Code: 114 050

For tattoo, motor, salon and medical industry, finger and palm textured for grip

ASTM D3578-10

Box quantity: 50 pairs



## Golden Hands Blue Nitrile Code: 114 055

Synthetic rubber, high puncture resistance, excellent choice for medical fields

ASTM D3578-10

Box quantity: 50 pairs



## Golden Hands Light Blue Nitrile Code: 114 051

Synthetic rubber, high puncture resistance, chemical protection, water and oil proof

ASTM D3578-10

Box quantity: 50 pairs



## Golden Hands White Latex Code: 114 056

Premium grade natural rubber latex, powdered and non-sterile

ASTM D3578-10

Box quantity: 50 pairs



## Golden Hands Powdered Sterile Latex Code: 114 052

Sterile gloves that are latex and disposable

Box quantity: 50 pairs



## Golden Hands Powder Free Sterile Latex Code: 114 057

Sterile latex non-powdered gloves that are disposable

Box quantity: 50 pairs



## Golden Hands Latex Powder Free Code: 114 053

Premium grade natural rubber latex, powder free and high durability

ASTM D3578-10

Box quantity: 50 pairs



## Latex Examination Gloves Code: 114 058

100% latex examination gloves, good durability and good tear resistance

Box quantity: 50 pairs



## Blue Nitrile Examination Gloves Code: 114 054

Disposable blue nitrile examination gloves

Box quantity: 50 pairs



## Disposable Deli Glove Code: 114 059

Good durability, strong and comfortable.

Box quantity: 50 pairs

# Rebel Foot Protection Range



## Rebel Kontrakta Boot Code: 115 000

Steel toe, genuine leather, oil resistant, shock absorbent, slip resistant

ISO 20345

Box quantity: 1 Pair



## Rebel Chukka Boot Code: 115 005

Steel toe, genuine leather, oil resistant, reflective tape, shock absorbent, slip resistant

ISO 20345

Box quantity: 1 Pair



## Rebel Crazy Horse Boot Code: 115 001

Steel toe, genuine leather, heat resistant, oil resistant, shock absorbent, slip resistant. Available in tan, brown or black

ISO 20345

Box quantity: 1 Pair



## Rebel Havok Boot Code: 115 006

Steel toe, anti-penetration, genuine leather, heat resistant, oil and slip resistant, shock absorbent

ISO 20345

Box quantity: 1 Pair



## Rebel Chemitrak S3 Boot Code: 115 002

Steel toe, anti-penetration, chemical resistant, heat and oil resistant, water resistant and shock absorbent

ISO 20345

Box quantity: 1 Pair



## Rebel Expedition Boot Code: 115 007

Steel toe, anti-penetration, genuine leather, oil and slip resistant, water resistant, shock absorbent.

ISO 20345

Box quantity: 1 Pair



## Rebel Jigga Boot Code: 115 003

Composite toe cap, arc flash, genuine leather, heat and oil resistant, shock absorbent. Available in black or brown

ISO 20345

Box quantity: 1 Pair



## Rebel Chelsea Boot Code: 115 008

Steel toe, anti-penetration, oil and slip resistant, shock absorbent. Available in black or brown

ISO 20345

Box quantity: 1 Pair



## Rebel Dynapro Shoe Code: 115 004

Non-metallic, composite toe, oil and slip resistant, microfiber

ISO 20345

Box quantity: 1 Pair



## Rebel Enduro-Max Shoe Code: 115 009

Steel toe, electrostatic discharge, genuine leather, heat and oil resistant, slip resistant, shock absorbent

ISO 20345

Box quantity: 1 Pair



Create. Enhance. Sustain. Driven by passion!

# Kaliber Foot Protection Range



## **Kaliber Raptor Safety Boot Code: 115 010**

Steel toecap, steel midsole, shock absorbent sole, oil resistant and anti-slip outsole

ISO 20345

Box quantity: 1 Pair



## **Kaliber Jackal Safety Boot Code: 115 015**

Buffalo leather upper, steel toecap, shock absorbent sole, oil resistant and anti-slip outsole

ISO 20345

Box quantity: 1 Pair



## **Kaliber Condor Safety Boot Code: 115 011**

Steel toecap, steel midsole, shock absorbent, oil resistant and anti-slip outsole

ISO 20345

Box quantity: 1 Pair



## **Kaliber Hawk Safety Boot Code: 115 016**

Steel toecap, reflective bar on rear, shock absorbent sole and anti-slip

ISO 20345

Box quantity: 1 Pair



## **Kaliber Volcano S2 Safety Boot Code: 115 012**

Steel toecap, shock absorbent, heat resistant, oil and water resistant

ISO 20345

Box quantity: 1 Pair



## **Kaliber Chelsea Safety Boot Code: 115 017**

Steel toecap, steel midsole, shock absorbent sole, lightweight. Available in brown or black

ISO 20345

Box quantity: 1 Pair



## **Kaliber Guardian Boot Code: 115 013**

Genuine leather upper, padded collar, lightweight. Available in brown or black

Box quantity: 1 Pair



## **Kaliber Kronos Boot Code: 115 018**

Buffalo leather upper, steel toecap, shock absorbent, padded collar

Box quantity: 1 Pair



## **Kaliber Patriot Boot Code: 115 014**

Genuine leather upper, lightweight, padded collar.

Available in brown or black

Box quantity: 1 Pair



## **Kaliber Velocity Safety Shoe Code: 115 019**

Lightweight mesh upper, steel toecap, shock absorbent sole, oil resistant and anti-slip

ISO 20345

Box quantity: 1 Pair



Create. Enhance. Sustain. Driven by passion!



# Bova Foot Protection Range



## **Bova Neogrip Safety Boot Code: 115 020**

Full grain leather, perspiration absorbent lining, steel toecap, heat resistant sole, steel midsole available  
ISO 20345

Box quantity: 1 Pair



## **Bova Neoflex Safety Boot Code: 115 025**

Full grain leather, perspiration absorbent lining, steel toecap, heat resistant sole, steel midsole available  
ISO 20345

Box quantity: 1 Pair



## **Bova Bremen Safety Boot Code: 115 021**

Full grain leather, perspiration absorbent lining, steel toecap, heat resistant sole, steel midsole available  
ISO 20345

Box quantity: 1 Pair



## **Bova Maverick Safety Boot Code: 115 025**

Genuine leather, steel toecap, heat resistant, steel midsole available  
ISO 20345

Box quantity: 1 Pair



## **Bova Drogue Safety Boot Code: 115 022**

Full grain waxy leather, perspiration absorbent lining, anti-penetration midsole, steel toecap, heat resistant sole  
ISO 20345

Box quantity: 1 Pair



## **Bova Nebula Safety Boot Code: 115 026**

Full grain leather, perspiration absorbent lining, anti-penetration midsole, steel toecap, heat resistant rubber sole  
ISO 20345

Box quantity: 1 Pair



## **Bova Hamburg Safety Shoe Code: 115 023**

Suede leather, perspiration absorbent lining, steel toecap, heat resistant sole  
ISO 20345

Box quantity: 1 Pair



## **Bova Amathole Safety Shoe Code: 115 027**

Full grain leather, perspiration absorbent lining, steel toecap, heat resistant sole, anti-penetration midsole available  
ISO 20345

Box quantity: 1 Pair



## **Bova Smelters Safety Boot Code: 115 024**

Full grain leather, heat resistant lining, heat resistant sole, aluminium toecap  
ISO 20345

Box quantity: 1 Pair



## **Bova Welders Safety Boot Code: 115 028**

Full grain leather, Kevlar blended lining, steel toecap, heat resistant sole, anti-penetration midsole available  
ISO 20345

Box quantity: 1 Pair



Create. Enhance. Sustain. Driven by passion!

# Sisi Foot Protection Range



## Sisi Angelina Safety Shoe Code: 115 029

Abrasion protection, water resistant, heat and slip resistant  
ISO 20345

Box quantity: 1 Pair



## Sisi Jennifer Safety Shoe Code: 115 034

Abrasion resistant, water resistant, heat and slip resistant  
ISO 20345

Box quantity: 1 Pair



## Sisi Nicole Safety Shoe Code: 115 030

Abrasion resistant, water resistant, heat and slip resistance  
ISO 20345

Box quantity: 1 Pair



## Sisi Selena Safety Shoe Code: 115 035

Abrasion resistant, water resistant, heat and slip resistant  
ISO 20345

Box quantity: 1 Pair



## Sisi Venice Safety Shoe Code: 115 031

Water resistant, heat resistant and slip resistant  
ISO 20345

Box quantity: 1 Pair



## Sisi Sydney Safety Shoe Code: 115 036

Water resistant, heat resistant, slip resistant. Available in brown or black

ISO 20345

Box quantity: 1 Pair



## Sisi Cate Safety Boot Code: 115 032

Abrasion resistant, water resistant, heat and slip resistance  
ISO 20345

Box quantity: 1 Pair



## Sisi Reese Safety Boot Code: 115 037

Abrasion resistant, water resistant, heat and slip resistant  
ISO 20345

Box quantity: 1 Pair



## Sisi Yvonne Safety Boot Code: 115 033

Abrasion resistant, water resistant, heat and slip resistance  
ISO 20345

Box quantity: 1 Pair



Create. Enhance. Sustain. Driven by passion!

# FOOTWEAR SIZING CHART



Create. Enhance. Sustain. Driven by passion!

CM'S	UK SIZES	EU SIZES
21.5	2	36
22.5	3	37
23.5	4	38
24	5	39
25	6	40
26	7	41
27	8	42
28	9	43
29	10	44
29.5	11	45
30.5	12	46
31	13	47
32	14	48
33	15	49

# Neptun Gumboot Range



## Stimela Gumboot Code: 116 000

Heavy duty mining gumboot, excellent grip and sole support, steel toecap

ISO 20345

Box quantity: 1 Pair



## Stimela Gumboot Code: 116 005

Heavy duty mining gumboot, steel toecap, steel midsole with metatarsal protection, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Stimela Gumboot Code: 116 001

Black and grey gumboot with safety toe and midsole protection, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Stimela Gumboot Code: 116 006

Black and grey gumboot with safety toe, steel midsole and metatarsal protection, excellent grip and sole protection

ISO 20345

Box quantity: 1 Pair



## Stimela Gumboot Code: 116 002

White and grey gumboot with safety toe, steel midsole and metatarsal protection, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Shova Gumboot Code: 116 007

General purpose PVC anti-bacterial gumboot, hard wearing with excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Shova Gumboot Code: 116 003

General purpose PVC gumboot for use in agriculture and food industry, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Shova Gumboot Code: 116 008

General purpose PVC gumboot for use in agriculture and food industry, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Shova Gumboot Code: 116 004

General purpose PVC gumboot for use in agriculture and food industry, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



## Shova Gumboot Code: 116 009

General purpose PVC gumboot for use in agriculture and food industry, excellent grip and sole support

ISO 20345

Box quantity: 1 Pair



Create. Enhance. Sustain. Driven by passion!

# Bata & Wayne Gumboot Range



## **Bata Jobber Gumboot Code: 116 010**

Light PVC boot, high durability, water resistant and anti-slip. Available in black or white

NST S1

Box quantity: 1 Pair



## **Bata Jobber Mule Gumboot Code: 116 015**

Anti-slip, blood resistant and water resistant. Available in black or white

NST S1

Box quantity: 1 Pair



## **Bata Ladies Gumboot Code: 116 011**

Light PVC boot with high durability and slip resistant. Available in black or white

NST S1

Box quantity: 1 Pair



## **Bata Rhino 1 Gumboot Code: 116 016**

Heavy duty gumboot, anti-slip, oil and solvent resistant, steel toecap and steel midsole

SABS approved

Box quantity: 1 Pair



## **Bata Rhino 2 Gumboot Code: 116 012**

Anti-slip, fat and blood resistant, oil and solvent resistant, steel toecap. Available in white or black

SABS approved

Box quantity: 1 Pair



## **Bata Rhino 3 Gumboot Code: 116 017**

Strong PVC boot, slip resistant, oil and water resistant, for heavy duty environments

NST S1

Box quantity: 1 Pair



## **Wayne Egoli 1 Gumboot Code: 116 013**

Abrasion resistant upper, PVC sole for protection against oil and chemicals, slip resistant with steel toecap

ISO 20345

Box quantity: 1 Pair



## **Wayne Egoli 2 Gumboot Code: 116 018**

Abrasion resistant upper, PVC sole for protection against oil and chemicals, slip resistant with steel toecap

ISO 20345

Box quantity: 1 Pair



## **Wayne Egoli Metaguard Gumboot Code: 116 014**

Metatarsal protection, PVC sole protecting against oil and chemicals, steel toecap

SABS approved

Box quantity: 1 Pair



## **Wayne Gripper Gumboot Code: 116 019**

Abrasion resistant upper, recycled PVC sole with maximum slip resistance, quick drying lining

Box quantity: 1 Pair

# Hilsen Harness Range



## Basic Harness SN1 Code: 117 000

Easy to fit harness, lightweight, snap hook and single leg lanyard  
SANS Approved

Box quantity: per each



## Basic Harness SN2 Code: 117 005

Easy to fit harness, lightweight, snap hooks and double leg lanyard

SANS Approved

Box quantity: per each



## Basic Harness SC1 Code: 117 001

Easy to fit harness, lightweight, single leg lanyard and scaffold hook

SANS Approved

Box quantity: per each



## Basic Harness SC2 Code: 117 006

Easy to fit harness, lightweight, double leg lanyard and scaffold hooks, energy absorber

SANS Approved

Box quantity: per each



## Basic Harness SC2 Adjustable Code: 117 002

Easy to fit harness, lightweight, adjustable double leg lanyard with scaffold hooks, energy absorber

SANS Approved

Box quantity: per each



## Basic Harness Belted SC2 Code: 117 007

Easy to fit harness, lightweight, double leg lanyard and scaffold hooks, energy absorber

SANS Approved

Box quantity: per each



## Basic Harness SC2 (45mm Chest Strap) Code: 117 003

Easy to fit harness, lightweight, double leg lanyard and scaffold hooks, energy absorber

SANS Approved

Box quantity: per each



## Basic Harness SC2 Belted (45mm Chest Strap) Code: 117 008

Easy to fit harness, lightweight, double leg lanyard and scaffold hooks, energy absorber

SANS Approved

Box quantity: per each



## Performance Harness Code: 117 004

Easy to fit harness, lightweight, padded dorsal attachment point, leg, shoulder and chest straps

SANS Approved

Box quantity: per each



## Performance Harness Padded Code: 117 009

Easy to fit harness, lightweight, padded dorsal attachment point, padded waist and leg straps

SANS Approved

Box quantity: per each

# Hilsen Harness Range



## Performance Harness (Belay Loops) Code: 117 010

Easy to fit harness, padded dorsal attachment point and padded leg straps with frontal belay loops

SANS Approved

Box quantity: per each



## Performance Harness (2-Point) Code: 117 015

Easy to fit harness, padded dorsal attachment point and padded leg straps

SANS Approved

Box quantity: per each



## Performance Harness (3-Point) Code: 117 011

Padded waist belt for work positioning, padded dorsal attachment point and padded leg straps

SANS Approved

Box quantity: per each



## Performance Harness X Max Code: 117 016

X padding over shoulders, padded work positioning belt, hook-back points on chest, padded leg straps

SANS Approved

Box quantity: per each



## Technical Harness (5-Point) Code: 117 012

Padding on shoulders, waist and legs, gear loops on waist belt, frontal chest, frontal waist and waist belt attachments

SANS Approved

Box quantity: per each



## Technical Harness (5-Point) QR Code: 117 017

Padding on shoulders, waist and legs, gear loops on waist belt, dorsal, chest and waist attachments

SANS Approved

Box quantity: per each



## Technical Harness (5-Point) Ascent Kit Code: 117 013

Supplied with chest ascender and cow tails, padding on shoulders, waist and legs, gear loops on waist belt

SANS Approved

Box quantity: per each



## Premium Sit Harness Code: 117 018

Connector on waist for rope access, padded waist, padded legs, gear loops on waist

SANS Approved

Box quantity: per each



## Premium Professional Harness Code: 117 014

Fully padded, multiple adjustment options, gear loops on waist belt

SANS Approved

Box quantity: per each



## Premium Elite Harness Code: 117 019

Aluminium components, fully padded, fully adjustable


SANS Approved

Box quantity: per each



Create. Enhance. Sustain. Driven by passion!


# Hilsen Gear Range



## Harness Step Code: 117 020

Safety device to mitigate suspension trauma, fits any Hilsen harness


Box quantity: per each



## Standing Step Code: 117 025

Safety device to mitigate suspension trauma, fits any Hilsen harness

Box quantity: per each



## Component Harness Step Code: 117 021

Safety device to mitigate suspension trauma  
Box quantity: per each



## Gear Bag 20 Code: 117 026

Water resistant heavy duty PVC fabric, ideal for single harness. Available in blue or black

Box quantity: per each



## Gear Bag 50 Code: 117 022

Water resistant heavy duty PVC fabric bag with shoulder straps. Available in blue or black

Box quantity: per each



## Gear Bag 100 Code: 117 027

Water resistant heavy duty PVC fabric bag with carry handle. Available in blue or black

Box quantity: per each



## Gear Bag 200 Code: 117 023

Water resistant heavy duty PVC fabric bag with YKK zip and carry handles. Available in blue or black

Box quantity: per each



## Gear Pouch Code: 117 028

Water resistant PVC fabric with clear PVC front panel. Available in green, red or blue

Box quantity: per each



## Combi Bag Code: 117 024

Water resistant PVC fabric bag with reinforced bottom and sides. Available in green, red or blue

Box quantity: per each



## Fall Arrestor (Compact) Code: 117 029

2m fall arrestor, complete with snap hook, safe load 140kg  
Box quantity: per each



# Hilsen Gear Range



## Fall Arrestor (Webbing) Code: 117 030

2.5m/3.5m/6m webbing lanyard, complete with snap hook, safe load 140kg

Box quantity: per each



## Fall Arrestor (Cable) Code: 117 035

Available in 6m/10m/15m/20m steel wire rope lanyard, complete with snap hook, safe load 140kg

Box quantity: per each



## Tooling Lanyard Code: 117 031

For securing tooling while working at height, elasticated webbing lanyard, 8kg load capacity

Box quantity: per each



## Wrist Lanyard Code: 117 036

For securing tooling while working at height, Velcro fastening, 2kg load capacity

Box quantity: per each



## Snake Bite Leggings Code: 117 032

Durable canvas ankle to knee protection, developed with and endorsed by African Reptiles and Venom

Box quantity: per each



## Cap Lamp Belt (50mm) Code: 117 037

50mm webbing belt, cap lamp straps with eyelets and hooks, adjustable standard buckle

Box quantity: per each



## Cap Lamp Belt (45mm) Code: 117 033

45mm webbing belt, cap lamp straps with eyelets and hooks, adjustable standard buckle

Box quantity: per each



## Cap Lamp Belt (Single Prong Buckle) Code: 117 038

50mm webbing belt, cap lamp straps with eyelets and hooks, adjustable single prong buckle

Box quantity: per each



## Cap Lamp Belt (Padded) Code: 117 034

50mm webbing with waist padding, cap lamp straps with eyelets and hooks, adjustable standard buckle

Box quantity: per each



## Cap Lamp Belt (Shoulder Straps) Code: 117 039

45mm webbing belt with shoulder straps, cap lamp straps with eyelets and hooks, adjustable standard buckles

Box quantity: per each

# Disposable Wear Range



## Type 5/6 Coverall Code: 118 000

Full body coverall for chemical washing, medical removal and spraying. Protection against liquid chemical splashes  
Box quantity: 1



## Disposable Lab Coat Code: 118 001

Non-woven disposable lab coat  
Box quantity: 1



## Disposable Beard Covers Code: 118 002

Non-woven polypropylene white beard covers  
Box quantity: 1



## Disposable Plastic Sleeves Code: 118 003

Provides protection against contamination, available in blue or white  
Box quantity: 1 pair



## Basic Coverall Code: 118 004

Polypropylene material, soft and breathable, protects against dust and dirt. Available in white or blue  
Box quantity: 1



## Tyvek Classic Coverall Code: 118 005

Full body coverall for protection against liquid chemical splashes  
EN149:2001  
Box quantity: 1



## Disposable Mob Caps Code: 118 006

Available in white, green, blue, yellow, orange, red or pink. Available in single or double elastic  
Box quantity: 1



## Disposable Shoe Covers Code: 118 007

Waterproof, double elastic disposable shoe covers  
Box quantity: 1 pair



## Disposable Plastic Apron Code: 118 008

Disposable plastic apron suitable for general protection against liquids and other substances  
Box quantity: 100



## Type 4/5/6 Coverall Code: 118 009

Polypropylene coated, good barrier against particles such as asbestos, dust and light mist  
EN14605/EN ISO 13982-1/EN13034  
Box quantity: 1

# Fire Safety Range



## Fire Extinguisher CO2 Code: 120 000

CO2 fire extinguisher most suited for electrical fires. Available in 2kg, 5kg or 10kg trolley

SANS 1567

Box quantity: 1



## Fire Extinguisher DCP Code: 120 001

Suitable for all fire types. Available in 0.6kg, 1kg, 1.5kg, 2.5kg, 4.5kg or 9kg

SANS 1910:2009

Box quantity: 1



## Fire Cabinet 2x9 Twin Code: 120 002

Manufactured using SABS approved polyester resin and materials

SABS approved

Box quantity: 1



## Fire Cabinet Hinged Door Code: 120 003

Manufactured using SABS approved polyester resin and materials. Available in 4.5kg or 9kg

SABS approved

Box quantity: 1



## Vehicle Bracket Single Strap CO2 Code: 120 004

For safe and secure mounting and transporting of CO2 2.5kg, 4.5kg and 9kg

Box quantity: 1



## Fire Extinguisher Foam Code: 120 005

Suitable for big fires in class A and class B categories. Available in 9kg or 50kg trolley unit

SABS approved

Box quantity: 1



## Fire Extinguisher Wet Chemical Code: 120 006

Used to combat fires started by burning oils or fats. Available in 6kg

SABS approved

Box quantity: 1



## Fire Cabinet 9kg Truck Fire Code: 120 007

Truck cabinet made for the transportation industry, manufactured using SABS approved polyester resin and materials

SABS approved

Box quantity: 1



## Fire Cabinet Marine Type 1 Code: 120 008

Manufactured using SABS approved polyester resin and materials.

SABS approved

Box quantity: 1



## Vehicle Bracket Single Strap DCP Code: 120 009

For safe and secure mounting and transporting of DCP 1.5kg and 2.5kg

Box quantity: 1

# Lifting Equipment Range



## Manual Hoists Code: 121 000

Titan mini lever hoist  
Titan lever hoist and chain block  
Titan Tuff lever hoist and chain block  
ISO 9001

Box quantity: 1



## Chain Slings Code: 121 005

Gr80 chain & fittings  
Gr100 chain & fittings  
ISO 9001

Box quantity: 1



## Steel Wire Rope Slings Code: 121 001

To SANS standards  
To EN standards  
SANS approved

Box quantity: 1



## Webbing Slings Code: 121 006

Duplex flat webbing sling  
Endless round webbing sling  
ISO 9001

Box quantity: 1



## Electric Hoists Code: 121 002

Titan electric chain hoist  
Titan electric trolley  
ISO 9001

Box quantity: 1



## Beam Clamps and Trolleys Code: 121 007

Geared beam trolley  
Plain beam trolley  
Beam clamp

ISO 9001

Box quantity: 1



## Plate Grabs Code: 121 003

Vertical plate clamp  
Horizontal plate clamp  
Universal plate clamp

ISO 9001

Box quantity: 1



## Snatch Blocks Code: 121 008

Heavy duty snatch block BL3 type  
Wire rope snatch block

SABS approved

Box quantity: 1



## Wire Rope Winch Code: 121 004

Titan lifting and pulling winch  
ISO 9001

Box quantity: 1



## Shackles Code: 121 009

Alloy bow and dee shackle  
Heavy duty bow shackle H10 type  
Heavy duty dee shackle H11 type  
Commercial shackle

Box quantity: 1

# Vehicle & Road Safety Range



## Orange PVC Traffic Cone Code: 123 000

Available in small, medium or large. Orange with reflective tape or blue with reflective tape

Box quantity: 1



## Hi-Viz PVC Traffic Cone Code: 123 004

Available in small, medium or large. Hi-viz lime with reflective tape, yellow with reflective tape or red with reflective tape

Box quantity: 1



## Fold-Away Traffic Cone Code: 123 001

Available in small or large, orange with reflective tape or red with reflective tape

Box quantity: 1



## Rotating Emergency Light Code: 123 005

Orange light available in flash strobe, strobe light or cordless strobe

Box quantity: 1



## Warning Triangle Code: 123 002

Steel or plastic warning triangle for road safety

Box quantity: 1



## Barrier Tape Code: 123 006

Reflective barrier tape, available in high reflective red and white or black and yellow

Box quantity: 1



## Tow Ropes Code: 123 003

High quality and high durability tow ropes, available in various colours and lengths

Box quantity: 1



## Load Straps Code: 123 007

High quality and high durability load straps and ratchet straps, 35mm x 6m or available in other lengths

Box quantity: 1

# Ballistic Range



## Eco Tactical Bulletproof Vest

Tactical belt, fixed pockets, pistol holder with mag pouches, padded shoulders,  
NJ1-Standard-0101.04



## Reaction Bullet Proof Vest

Adjustable side straps, knife pocket, pepper spray pouch, pistol holster, mag pouches  
NJ1-Standard-0101.04



## Covert Bullet Proof Vest

Semi-wrap protection, available in small to 2XL, front and rear protection  
NJ1-Standard-0101.04



## Tactical Bullet Proof Vest

Protection for shoulders, sides, front and rear. Mag pouches and radio pocket  
NJ1-Standard-0101.04



## Patrol Bullet Proof Vest

Adjustable straps and points, available in black, green, navy or khaki  
NJ1-Standard-0101.04



## Rapid Response Bullet Proof Vest

Full wrap around protection, inside plate pockets, available in small to 5XL  
NJ1-Standard-0101.04



## Disarming Bullet Trap

For disarming firearms, slip resistant bottom, Kevlar ceramics and shock absorption silica  
NJ1-Standard-0101-04



## Ballistic Helmet

Adjustable chin strap, enhanced protection, excellent comfort, 5-point harness system  
NJ1-Standard-0101.04



## Ballistic Shin Guards

Adjustable straps, padding and ventilation for comfort, protects against ammo, projectiles and slashing



## Ballistic Shield Cover

Ballistic level IIA plate, fits riot shields, can be used as stand-alone, 6 holding points



# Anti-Riot Range



## Riot Shield

Impact resistant, acid liquid resistant, shock absorbent handles, strong and durable



## Riot Helmet

Protection against acid, flammable liquids, impact resistant and shock absorbent fiberglass

EN 397, SANS 1394



## Anti-Riot Gas Mask

Face, eye and respiratory protection, impact resistant polycarbonate lens  
ANSI Z87.1-1989



## Anti-Riot Suit

Elbow, arm, knee and shin protection, excellent shock absorption and Velcro adjusting straps



## Arm Guards

Elbow protection and arm protection, polyethylene shock absorbent materials with Velcro




## Leg Guards

Knee and shin protection, polyethylene shock absorbent materials with Velcro



## Paintball Guns

Variety of paintball guns with different functions and purposes, contact us for more information



## Paintballs

Variety of paintballs with different functions and purposes, contact us for more information



## JPX Pepper Pistol

Rapid reloading, high reliability and range, pyrotechnic delivery system, excellent stopping power



## Guardian Angel Live Unit

Extensive range, reliable in hot or cold conditions, consistent performance, not affected by wind



# Officer Accessories



## Tonfa Baton

Slightly flexible, suitable for hot or cold conditions, UV resistant, unbreakable, resistant to acids, solvents, and oils



## Extendable Baton

Extendable and retractable, nickel chrome with foam covered handle



## Straight Baton

Slightly flexible, suitable for hot or cold conditions, UV resistant, unbreakable, resistant to acids, solvents and oils



## Knuckle Buster

Made from polyethylene, used for protection when needed



## Web Belt Metal Buckle

Polypropylene, available in small to 6XL, available in various colours



## Nylon Belt

Polypropylene, available in small to 2XL, available in various colours



## Tactical Flashlight

Waterproof, shock proof, 180 minute battery life, can be re-charged 500 times.



## ZA-458 Flashlight

Extreme Bright LED globe, shock-proof, splash-proof, aluminium casing



## ZA-411 Flashlight

Bright LED, 200m beam, aluminium casing, comes with pouch



## ZA-457 Flashlight

Extreme Bright LED globe, shock-proof, rain-proof, comes with high beam, medium beam and strobe settings





# Officer Accessories



## Canvas Gun Holster

For both left and right handed, compatible with web belt or formal belt



## Canvas Leg Holster

For both left and right handed, compatible with web belt or formal belt, mag pouch included



## Canvas Shoulder Holster

For both left or right handed, 2 mag pouches attached or any other pouch



## Solid Handcuffs

Double tumbler locking system, high tensile spring, packed with 2 keys, non-foldable



## Duty Side Holster

For both left or right handed, compatible with web belt or formal belt, water resistant nylon, reinforced plastic



## Canvas Mag Pouch

Compatible with web belt or formal belt, 9mm mag pouch



## Security Handcuffs

Carbon steel, tumbler locking system, scratch and wear resistant, 50 packets per box, comes with 2 keys



## Double Locking Handcuffs

Double tumbler locking system, reinforced steel links, scratch and wear resistant, 2 nickel plated double locking keys



## Legcuffs

Double tumbler locking system, reinforced chain, scratch and wear resistant, galvanized single locking keys



## Handcuff Pouch

Polyester, double belt loop, can fit all foldable handcuffs



# Officer Accessories



## Metal Detector

High performance metal detector, designed for body searches and checking parcels



## Direct Stream Pepper Spray

Releases a tight, direct stream of pepper spray, natural and non-toxic, causes irritation to eyes



## Keyring Pepper Spray

Lightweight, locking mechanism, natural and non-toxic, causes irritation to eyes



## Pepper Grenade

Reusable mechanism, safety pin, creates pepper dispersion, detonation time allows for safe throwing



## TX-8 Two-Way Radio

Pre-programmed 16 channels, compact and lightweight, external microphone



## Bag Check Sticks

Stick designed for searching bags and checking for false compartments without damaging bag contents



## Otus Spotlight

LED life span of 50 000 hours, 20 hours run time, aluminium construction



## ZA-462 Spotlight

Lightweight, high impact casing, shock-proof and water resistant, rubber lens protector



## ZA-478 Spotlight

Rubberized casing, shock proof, scratch proof, compact and lightweight



## Handcuff Pouch

Polyester, double belt loop, can fit all foldable handcuffs



# Officer Accessories



## TW-800 Stun Gun

Rechargeable battery, torch function, belt pouch and charger included



## LED Torch/Stun Gun

Rechargeable battery, aluminium case, shock and rain proof



## 1L Water Bottle

Heavy duty plastic materials, non-toxic, washable and reusable



## 1L Bottle Pouch

Holds a 1L bottle, canvas materials, shoulder strap or belt loop, various colours



## Metal Whistle

Nickel plated steel whistle



## Plastic Whistle

ABS plastic, rust-proof, available in various colours



## PVC Security Flashes

PVC security flashes that come in 2 per set, available in a variety of colours



## Dome Flashes

Security domed flashes, plastic backing, come in 2 per set and available in a variety of colours



# Security Foot Protection



## Clerk Officer Shoe

Full grain leather upper, oil and solvent resistant, nitrile PVC sole, for hospitality and security



## Sentinel Officer Shoe

Genuine split buffalo leather, PVC sole, water and solvent resistant, unisex



## Claire Ladies Shoe

PVC sole, easy-to-clean uppers, for nursing and hospitality industries



## Performer Ladies Shoe

Flat wedge PVC sole, easy-to-clean uppers, for hospitality, nursing and security



## Parabellum Shoe

Anti-slip, full grain leather uppers, SABS rubber sole, for hospitality and security industry



## Hi-Tec Askari Lo

Superior comfort, smooth split leather upper, moisture-absorbing lining, steel toe cap, acid and oil resistant



## Hi-Tec Chelsea Boot

Full grain crazy horse leather upper, moisture, absorbing lining, acid and oil resistant, anti-static



## Hi-Tec Imara Welding Boot

Smooth split leather upper, composite toecap, heat, slip, acid and oil resistant, anti-static



## Hi-Tec Wanamume Ladies Shoe

Microfiber upper, padded collar and tongue, steel toecap, heat, acid, oil and slip resistant, anti-static



## Hi-Tec Ubora Boot

Suede leather and mesh upper, rubber toe guard, padded tongue and collar, steel toecap, slip, acid and oil resistant



# Security Foot Protection



## Lynx SZ Boot Tan

Suede and nylon upper, breathable nylon panels, padded foam collar, high traction rubber outsole



## Viper Pro Wide Boot

Full-grain leather upper, shock absorption insole, composite toecap, high-traction rubber outsole



## Kaliber Patriot Boot

Genuine leather upper, dual density PU sole, padded collar



## Kaliber Kronos Boot

Genuine leather upper, steel toecap, shock absorbent sole, anti-slip and oil resistant outsole



## Canvas Boots

PU injected molded sole, PVC toecap, canvas upper



## Trooper Combat Boots

Smooth leather and mesh, steel toecap, shock absorbent, Kevlar midsole



## Combat Boots

Synthetic leather upper, PU injected molded sole, steel toecap and slip resistant



## Elite Combat Boots

Split buffalo leather upper, steel toecap, shock absorbent heel, lightweight dual density PU sole



## Military Boot

Antelope printed leather, rubber sole/heel, Goodyear welded. Available in black or brown

## Hi-Tec Uhora Boot

Suede leather and mesh upper, rubber toe guard, padded tongue and collar, steel toecap, slip, acid and oil resistant



# Security Uniforms & Apparel



## Combat Shirt

Breasted pockets, buttoned down flaps. Available in navy blue, black, green, khaki or grey



## Pilot Shirt

Raised collar, available in long or short sleeves. Available in white, light blue or dark blue



## Combat Jersey

Knitted jersey, available in black, navy blue or cedar green



## V-neck Jersey

V-neck pullover jersey, available in black or navy blue



## Balaclava

Knitted acrylic, available in black, navy blue, maroon, white, red or camouflage



## Beanies

Knitted acrylic beanies, available in various colours



## Beret

100% woolen beret, draw string adjusting, UV resistant. Available in black, brown, navy blue, yellow or orange



## Plain Cap

Cotton twill, curved peak, Velcro strap. Available in various colours



## Security Cap

Brushed cotton twill, sweatband, curved peak, Velcro strap



## Socks

Military ribbed cushion sole socks, made from cotton and polyester, available in various colours



# Security Uniforms & Apparel



## Step-Out Trousers

Pleated plain bottom, side slant pockets. Available in grey, brown, khaki, black or navy blue



## Combat Trousers

80/20 polycotton, side seam pockets, draw-string bottom, belt loops. Available in navy, black, green or khaki



## Freezer Trousers

Water resistant, cotton/twill heavy-duty lining, elasticated waist



## Uniform Trousers

Grey chino-style trousers



## Camouflage Bomber Jacket

Polycotton outer fabric, padded inner



## Security Jacket

Available in navy blue, black, red, khaki or grey



## Ambulance Jacket

Padded quilted lining with breast pocket. Available in black or navy blue



## Hi-Viz Padded Jacket

Water resistant, quilted padding, reflective tape. Available in orange or lime



## Viz-Pro Bunny Jacket

Polycotton with polyester padding, reflective tape, zip-off sleeves. Available in orange or lime



## Freezer Jacket

Water resistant, heavy duty cotton/twill lining, pockets and elasticated cuffs



# Security Officer Accessories



## Megaphone

30-watt megaphone, attached microphone, voice and siren switch, carry shoulder strap



## Training Pistol

Made from ABS plastic, used for training purposes only



## Training Knife

Rubber training knife with a soft and flexible rubber blade



## Book Safe

Strong steel plate, lockable safe, easy concealment



## Wall Safe

Steel, SABS approved, anti-fishing plate



## Vehicle Safe

Steel, SABS approved, comes with 2 keys



## Rifle Safe

Steel, SABS approved, storage shelves with 2 keys



## Magnetic Strobe Light

Strobe light for emergency vehicles, magnetic base, powered by car cigarette lighter



## LED Strobe Light

Magnetic strips, for emergency vehicles, construction and security vehicles



## Vehicle Floodlight

Aluminium casing, shockproof and rainproof, magnetic mount, 30 000 hour life span







Create. Enhance. Sustain. Driven by passion!

## **FIND US:**

### **Facebook:**

<https://www.facebook.com/profile.php?id=61560169972668>

### **LinkedIn:**

<https://www.linkedin.com/company/103181827/admin/feed/posts/>

### **Website:**

[www.mstella.co.za](http://www.mstella.co.za)


## **CONTACT US:**

 [info@mstella.co.za](mailto:info@mstella.co.za)

 [www.mstella.co.za](http://www.mstella.co.za)

## **LOCATION:**

 Cape Town, South Africa



3M™ Peltor™

Uvicator™ Sensor

PELTOR™

## Peltor™ G3000™

### WITH THE PELTOR™ UVICATOR™ SENSOR

#### Red, the new sign of safety

The service life and protective aspect of a safety helmet is affected by physical or chemical damage and UV radiation from the sun. Whilst physical damage, caused by blows to the helmet shell or exposure to aggressive chemicals is readily visible, damage caused by UV radiation is difficult to detect.

When a safety helmet is exposed to sunlight the stability of the plastic shell may be adversely affected due to interaction between UV radiation and the plastic material which may weaken the helmet and compromise the safety of the wearer. The adverse effect is dependent not only on the nature of the plastic material but also intensity of sunlight. All too often damage to the helmet shell may not be visible to the naked eye.

To mitigate this risk, manufacturers often rely on general guidelines on usage, storage and replacement irrespective of period of exposure to sunlight. In line with good safety practice the user has to keep a written record on the condition of the helmet and for how long it is used, sometimes resulting in unnecessary disposal of 'good' helmets.

With the new Uvicator™ sensor there is now an accurate and easy way to assess integrity and safety of the helmet related to UV-radiation without the added cost of unnecessary replacement by simply looking for colour change.

The Uvicator sensor is intended to easily and clearly help show the user when their helmet has been over-exposed to UV radiation and thus when to replace it. This new technology is the result of many years of full scale and artificial ageing testing of different material combinations under various sunlight exposure conditions.

The Uvicator sensor is a circular shaped disc and is strategically placed slightly below the highest point of the helmet. This location has been carefully selected to optimise the measurement of UV radiation exposure under normal working conditions when the head slightly leans forward.

As the helmet is exposed to sunlight, the disc is calibrated to detect the amount of UV radiation received and gradually changes colour over time, clockwise, from red to white. When the disc turns completely white, it means that the helmet has received maximum tolerable UV radiation and therefore needs to be replaced.

To allow the Uvicator sensor to fully function, ensure that the indicator disc is free from stickers and labels.



Measures exposure to UV radiation

Technically calibrated and tested

Works globally in most environments

Tells you when to replace your helmet

# Peltor™ G3000™

## Features and Benefits:

The G3000 helmet has been designed in close collaboration with forestry and industrial workers. It is intended for use in harsh environments with tough demands for effective protection, excellent ventilation and a maximum field of vision.

## Peltor™ G3000 Hi-Viz Helmet

The G3000 Hi-Viz helmet is a safety helmet with the same properties and protection class as the G3000 but for users who want to be extra visible at work.

Some key features of the G3000 include:

Offers excellent protection and fully approved according to EN 397, with the following additional approvals:

- ❖ G3000  
very low temperature, -30°C, and molten metal splash
- ❖ G3001  
(unventilated): very low temperature, -30°C, molten metal splash, and electrical insulation 440Vac, G3001 1000V  
(unventilated): same as G3001 with additional approval according to EN50365, a 1000-volt test
- ❖ G3000-10  
(with lamp and cord holder) low temperature, -30°C and molten metal splash

Material: UV-stabilised ABS  
 Colours: Grey, yellow, white, orange, red, blue, green and Hi-Viz  
 Weight: 310 g  
 Size: 54-62 cm



## Peltor™ Uvicator™


The sensor disc tells you when it's time to replace your G3000 helmet.

## Slim design

Softly rounded design, which helps to avoid helmet parts snagging on branches, etc.

## Reversible lining

Lining that can be rotated 180° allowing the helmet to be worn back-to-front which is ideal, for example when working in tight spaces or climbing.



## Ventilation

Optimised with more ventilation holes than a conventional ventilated helmet.

## Space for company name

Surface for printing a logotype, brand name, etc.

## Short brim

The Short brim giving a broader field of view.

## Ratchet headband

For easier and quicker adjustment.

MStella Projects (Pty) Ltd  
 Cape Town, South Africa  
**Phone:** 082 455 9878  
**Website:** www.mstella.co.za  
**Email:** info@mstella.co.za

# 3M™ Secure Click™ Reusable Half Face Masks HF-800 Series

## Product Description

3M™ Secure Click™ Reusable Half Face Mask HF-800 Series is available as two versions, HF-800 and HF-800SD. The HF-800SD versions have a speaking diaphragm. Both versions are available in three sizes.

Model	Size
HF-801	Small
HF-802	Medium
HF-803	Large
HF-801SD	Small, Speaking Diaphragm
HF-802SD	Medium, Speaking Diaphragm
HF-803SD	Large, Speaking Diaphragm



All masks in the HF-800 range have the 3M™ Secure Click™ filter connection mechanism allowing connection to a broad range of 3M™ Secure Click™ filters to help protect against gases, vapours and/or particulates depending on your individual needs.

## Key Features

- Soft silicone facepiece
- Includes a negative pressure push button seal check mechanism
- Flexible System (gas & vapour and / or particulate filters)
- For use with 3M™ Secure Click™ filters.
- HF-800SD includes a speaking diaphragm.
- Face piece weight: 182 g (Varies per size and model).

## Filter Options

3M™ HF-800 Secure Click™ Reusable Half Face Mask can be used with a variety of different filter options:

### Gas and Vapour Filters Only:

The filters generally help protect against either single or multiple contaminant type(s). The D8000 Series filters fit directly onto the mask.






### Particulate Filters Only:

These filters help protect against solid and non-volatile liquid particles. The D3000 and D9000 Series particulate filters fit directly onto the respirator.








## Combination of Gas & Vapour and Particulate Filters:



The D8094 and D8095 have Particulate filter media integrated with the Gas and Vapour filter. The D7900 Series particulate filters are used, along with D701 retainers to add particulate protection to a 3M D8000 Gas and Vapour filter. D7900 filters are used in “fours”, with one fitted to each side of the dual sided D8000 gas and vapour filters, which themselves are used in pairs.

## Gas and Vapour/Combination Filters

Filter	Image	Standard	Class	Hazard
D8051		EN14387: 2004 +A1:2008	A1	Organic Vapours (b.pt. > 65°C)
D8055		EN14387: 2004 +A1:2008	A2	Organic Vapours (b.pt. > 65°C)
D8059		EN14387: 2004 +A1:2008	ABEK1	Combination organic vapours (b.pt. >65°C), inorganic & acid gases & Ammonia
D8094		EN14387: 2004 +A1:2008	ABEK1P3 R	Combination organic vapours (b.pt. >65°C), inorganic & acid gases, Ammonia Particulates and Formaldehyde
D8095		EN14387: 2004 +A1:2008	A2P3 R	Organic vapours (b.pt. >65°C), & Particulates

## Particulate Filters

Filter	Image	Standard	Class	Protects Against
D7915		EN143:2000 / A1:2006	P1 R	Particulates (Fine Dusts & Mists)
D7925		EN143:2000 / A1:2006	P2 R	Particulates (Fine Dusts & Mists)
D7935		EN143:2000 / A1:2006	P3 R	Particulates (Fine Dusts & Mists)
D3125		EN143:2000 / A1:2006	P2 R	Particulates (Fine Dusts & Mists)
D3135		EN143:2000 / A1:2006	P3 R	Particulates (Fine Dusts & Mists)
D3128		EN143:2000 / A1:2006	P2 R	Particulates, Ozone, and nuisance levels of Organic Vapours & Acid Gases*
D3138		EN143:2000 / A1:2006	P3 R	Particulates, Ozone, and nuisance levels of Organic Vapours & Acid Gases*

Filter	Image	Standard	Class	Protects Against
D9035		EN143:2000 / A1:2006	P3 R	Particulates (Fine Dusts & Mists)
D9038		EN143:2000 / A1:2006	P3R	Particulates, Hydrogen Fluoride up to 30 ppm, and nuisance levels of Organic Vapours & Acid Gases below the OEL*

\*Nuisance levels refers to concentrations not exceeding applicable government occupational exposure limits.

## Standards and Approvals

These products have been tested to the relevant European Standards: HF-800 Secure Click™ Half Masks to EN 140:1998. HF-800 Series Half mask and associated filters have an inhalation breathing resistance of less than 5 mbar, when measured at 95 lpm continuously.

## Use Limitations

Before use, check the expiration date. These respirators do not supply oxygen. Do not use in oxygen deficient areas. 3M definition minimum 19.5% by volume oxygen. Do not use for respiratory protection against atmospheric contaminants that have poor warning properties, are unknown or immediately dangerous to life and health (IDLH) or against contaminants that generate high heats of reaction with chemical filters. Do not misuse, alter, modify or repair this product. Do not use with beards or other facial hair that prevents direct contact between the face and the edge of the respirator. Do not use with unknown concentrations of contaminants. Leave the work area immediately and check the integrity of the respirator and replace face mask if: Damage has occurred or is apparent. Breathing becomes difficult or increased breathing resistance occurs. Dizziness or other distress occurs. You taste or smell the contaminant, or an irritation occurs. **For other use limitations please refer to the User Information supplied with the products.**

## Cleaning and Storage

Cleaning is recommended after each use. To clean the respirator, the 3M™ 105 Wipe should be used to wipe the face seal of the product. Remove filters. The head harness assembly, exhalation valve, inhalation valve and speaking diaphragm (if present) can also be disassembled if necessary.

Alternatively, clean parts (excluding filters) by immersing in warm cleaning solution (water temperature not to exceed 50 °C), scrub with soft brush until clean. Add neutral detergent if necessary. Disinfect respirator by soaking in a solution of quaternary ammonia disinfectant or sodium hypochlorite (30 ml/7.5 l) or other disinfectant. Rinse in clean, warm water and air dry at room temperature in a non-contaminated atmosphere. Do not reassemble parts until facepiece is completely dry.

A respirator washer can be used to clean the HF-800 Series respirator. Respirator washers have a rack designed to hold the respirator in place during washing. DO NOT use a washing machine, which allows the respirators to tumble while being washed. This could damage the respirator. Water temperature should not exceed 50°C.

## Materials

Component	Material
Face Seal	Silicone Rubber
Fascia	Thermoplastic
Inhalation/Exhalation valve	Silicone Rubber
Speaking Diaphragm	Thermoplastic, Silicone Rubber and Polyimide Film
Straps	Synthetic Fiber
Buckles	Thermoplastic

Part Number	Description
HF-800-01	Head Harness Assembly, 5/cs Head
HF-800-04	Harness Assembly, SD Version, 5/cs
HF-800-02	Inhale/Exhale Valve, 10/cs Speaking
HF-800-05	Diaphragm, 5/cs Quantitative Fit Test
HF-800-03	Adapter Kit, 1/cs

## Shelf Life\*

Shelf life: 5 years from production date when stored at storage conditions described on packaging. *\*The shelf life as defined above remains indicative and maximum data, subject to many external and non-controllable factors. It may never be interpreted as a warranty.*

## Important Notice

The use of the 3M product described within this document assumes that the user has previous experience of this type of product and that it will be used by a competent professional. Before any use of this product it is recommended to complete some trials to validate the performance of the product within its expected application.

All information and specification details contained within this document are inherent to this specific 3M product and would not be applied to other products or environment. Any action or usage of this product made in violation of this document is at the risk of the user.

Compliance to the information and specification relative to the 3M product contained within this document does not exempt the user from compliance with additional guidelines (safety rules, procedures). Compliance to operational requirements especially in respect to the environment and usage of tools with this product must be observed. The 3M group (which cannot verify or control those elements) would not be held responsible for the consequences of any violation of these rules which remain external to its decision and control.

Warranty conditions for 3M products are determined with the sales contract documents and with the mandatory and applicable clause, excluding any other warranty or compensation. Respiratory Protection is only effective if it is correctly selected, fitted and worn throughout the time when the wearer is exposed to respiratory contaminants. 3M offers advice on the selection of products, and training in the correct fitting and usage.

For more information on 3M products and services please contact 3M.



---

Create. Enhance. Sustain. Driven by passion!

# Secure fit. Without feeling tight.

Advanced Technology.  
3M™ SecureFit™ Protective  
Eyewear self-adjusts to the  
individual wearer, providing  
comfort that lasts all day.





# 3M™ SecureFit™ Protective Eyewear, 400 Series

Safety eyewear meets 21st century science. The 400 Series takes comfort to a higher level.

Polycarbonate lenses absorb 99.9% of UVA & UVB. Meets the requirements of ANSI Z87.1-2010

Removable foam-lined gasket helps keep debris out of your eyes while providing comfort and cushioning

**NEW DESIGN IMPROVEMENT!**  
One-piece nose bridge

Dual-injected, padded temple touchpoints for added comfort over the ears

Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style

Soft, adjustable nose pads for greater personalization

**Now available – removable foam-lined gasket!**



Features proprietary self-adjusting 3M™ Pressure Diffusion Temple Technology

**The 400 Series features 3M™ Pressure Diffusion Temple Technology, soft adjustable nose pads, dual-injected temples and foam gasket**



Clear



Gray




Indoor/Outdoor Mirror Lens

# 3M™ SecureFit™ Protective Eyewear, 200 Series

Feel the difference as soon as you put them on. Temples automatically self-adjust to provide a secure, comfortable fit each time.

Polycarbonate lens absorbs 99.9% UVA & UVB. Meets the requirements of ANSI Z87.1-2010

Contemporary and lightweight, weighs less than 1 ounce



Molded nose bridge

Available in anti-fog or anti-scratch lens coatings



Features proprietary self-adjusting 3M™ Pressure Diffusion Temple Technology

## The 200 Series features 3M™ Pressure Diffusion Temple Technology



Clear



Gray



Amber

## 3M™ SecureFit™ Protective Eyewear, 400 Series

PRODUCT NO.	3M ID NO.	PRODUCT DESCRIPTION	UPC NO.
SF401AF	70-0716-5095-9	3M™ SecureFit™ Protective Eyewear, Clear Anti-Fog Lens, 20ea/cs	3M™ 100-78371-66211-7
SF402AF	S F 70-0716-5096-7	SecureFit™ Protective Eyewear, Gray Anti-Fog Lens, 20ea/cs	3M™ 100-78371-66212-4
41	OAS 70-0716-5097-5	SecureFit™ Protective Eyewear, Indoor/Outdoor Mirror lens, 20ea/cs	3M™ 100-78371-66213-1
SF401AF-FM	70-0716-7533-7	SecureFit™, Protective Eyewear, Foam, Clear Anti-fog lens, 20ea/cs	3M™ 500-51131-27475-9
SF402AF-FM	70-0716-7660-8	SecureFit™, Protective Eyewear, Foam, Gray Anti-fog lens, 20ea/cs	3M™ 500-51131-27565-7
SF410AS-FM	70-0716-7638-4	SecureFit™ Protective Eyewear, Foam, Indoor/Outdoor mirror lens, 20ea/cs	500-51131-27545-9
SF-FOAM	70-0716-7534-5	3M™ SecureFit™, Replacement Foam Gasket, 20/bag	3M™ SecureFit™ 500-51131-27476-6
SF415AF	70-0716-5578-4	Protective Eyewear, Clear Anti-Fog Lens, +1.5 diopter, 20/cs	3M™ 100-78371-66512-5
SF420AF	70-0716-5579-2	SecureFit™ Protective Eyewear, Clear Anti-Fog Lens, +2.0 diopter, 20/cs	100-78371-66513-2
SF425AF	70-0716-5580-0	3M™ SecureFit™ Protective Eyewear, Clear Anti-Fog Lens, +2.5 diopter, 20/cs	100-78371-66514-9

## 3M™ SecureFit™ Protective Eyewear, 200 Series

PRODUCT NO.	3M ID NO.	PRODUCT DESCRIPTION	UPC NO.
SF201AF	70-0716-4765-8	3M™ SecureFit™ Protective Eyewear, Clear Anti-Fog Lens, 20ea/cs	100-78371-65717-5
SF202AF	70-0716-4766-6	3M™ SecureFit™ Protective Eyewear, Gray Anti-Fog Lens, 20ea/cs	100-78371-65718-2
SF203AF	70-0716-4767-4	3M™ SecureFit™ Protective Eyewear, Amber Anti-Fog Lens, 20ea/cs	100-78371-65719-9
SF201AS	70-0716-4768-2	3M™ SecureFit™ Protective Eyewear, Clear Anti-Scratch, 20ea/cs	100-78371-65720-5
SF202AS	70-0716-4769-0	3M™ SecureFit™ Protective Eyewear, Gray Anti-Scratch Lens, 20ea/cs	100-78371-65721-2
SF203AS	70-0716-4770-8	3M™ SecureFit™ Protective Eyewear, Amber Anti-Scratch Lens, 20ea/cs	100-78371-65722-9

### WARNING!

These eye or face protection products help provide limited eye and face protection. **Misuse or failure to follow warning and instruction may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warning on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414. In Cape Town, call 082 455 9878.

MStella Projects (Pty) Ltd  
 Cape Town, South Africa  
**Phone:** 082 455 9878  
**Website:** [www.mstella.co.za](http://www.mstella.co.za)  
**Email:** [info@mstella.co.za](mailto:info@mstella.co.za)



Create. Enhance. Sustain. Driven by passion!

## **3M™ First Base™ 3 Bump Cap**



**Patented shell delivers  
comfort with protection.**

The 3M First Base 3 Bump Cap Series is available in assorted colours and peak lengths with a choice of cap styles including Classic, Extra and Elite.

# Contents

Overview	4
Features	5
3M™ First Base™ 3 Classic Bump Cap	6
3M™ First Base™ 3 Classic HV Bump Cap	6
3M™ First Base™ 3 Elite Bump Cap	7
3M™ First Base™ 3 Extra Bump Cap	7
3M™ First Base™ 3 Flame Resistant Bump Cap	8
3M™ First Base™ 3 Beanie Bump Cap	8
3M™ First Base™ 3 Winter Bump Cap	9
3M™ First Base™ 3 Police Bump Cap	9
Ordering information	10-11



# 3M™ First Base™ 3 Bump Cap

At the core of the 3M™ First Base™ 3 Bump Cap is the patented shell designs, designed for comfort and protection. The shells are complemented by a range of stylish and durable fabrics to suit many applications.

## Comfort

Delivered by the patented, breathable, perforated shell with indirect top ventilation system with wicking fabric sweatband to draw moisture away.

## Stability

The adaptive shell design contours around the head for a comfortable fit. The elasticated adjustment strap positions beneath the occipital bone to help increase stability.

## Protection

The shell design provides protection to the wearer's head when impacted against hard, stationary objects with sufficient severity to cause laceration or other superficial injuries in industrial and occupational use.

## Customisation

Optional logo customisation areas.



### 3M™ First Base™ 3 Classic Bump Cap

Lightweight cap with micro-fibre fabric and flexible shell design.



### 3M™ First Base™ 3 Elite Bump Cap

Dual colour micro-fibre cap with reflective piping and flexible shell design.



### 3M™ First Base™ 3 Extra Bump Cap

Durable cap with polyester/cotton fabric and full shell design.

## Patented shell delivers comfort with protection.

Indirect crown ventilation system

Perforated sides

Impact absorbing spine

Adaptive flexible channel



Full shell option offers increased coverage

### Key features

- ↳ Patented perforated shell, with indirect crown ventilation system, permits air circulation to help humidity
- ↳ Patented flexible or full shell designs provide fit for a wide range of head sizes
- ↳ Multiple colour options
- ↳ Standard, reduced or micro peak options
- ↳ Wicking fabric sweatband helps draw moisture away from the skin to improve comfort
- ↳ Machine washable fabrics
- ↳ CE marked to EN 812



Wicking sweatband



Spacer backed sweatband



Elasticated adjustment



Wide ventilation panel



## 3M™ First Base™ 3 Classic Bump Cap

The 3M™ First Base™ 3 Classic Bump Cap has been developed to meet the everyday needs of industry. The Classic provides key features such as:

- ✦ Single colour design available in nine options
- ✦ Ventilated fabric panel permits air circulation to help reduce humidity
- ✦ Side mesh ventilation
- ✦ Utilises a patented “flexible” shell design to fit a wide range of head sizes



## 3M™ First Base™ 3 Elite Bump Cap

The 3M™ First Base™ 3 Elite Bump Cap delivers a modern and appealing look and is designed with reflective piping. The Elite provides key features such as:

- ✦ Modern look and appeal
- ✦ Stylish dual colour cap design in three standard colour combinations
- ✦ Ventilated fabric panel permits air circulation to help reduce humidity
- ✦ Side and top mesh ventilation enhances breathability
- ✦ Designed with reflective piping
- ✦ Utilises a patented ‘flexible’ shell design to provide fit for a wide range of head sizes
- ✦ Optional fluorescent orange offering enhanced visibility



## 3M™ First Base™ 3 Classic HV Bump Cap

The 3M™ First Base™ 3 Classic High Visibility Bump Cap is designed with a fluorescent colour offering enhanced visibility and is designed with reflective materials which comply with ISO 20471.

- ✦ Reflective piping and strip
- ✦ High visibility material – ISO 20471 specified fabrics
- ✦ Vented polyurethane polyester fabric
- ✦ Utilises ‘flexible’ shell design
- ✦ Standard and reduced peak length options



## 3M™ First Base™ 3 Extra Bump Cap

The 3M™ First Base™ 3 Extra Bump Cap combines durable, workwear fabrics with the increased coverage offered by a full shell design. The Extra provides key features such as:

- ✦ Traditional look and appeal
- ✦ Single colour design available in three colour options
- ✦ Durable polyester/cotton blend fabric
- ✦ Side mesh ventilation enhances breathability
- ✦ Reduced peak length for enhanced upwards vision
- ✦ Utilises a patented ‘full’ shell design to provide enhanced coverage for a wide range of head sizes



# 3M™ First Base™ 3 Flame Resistant Bump Cap

The 3M First Base 3 Flame Resistant Bump Cap is designed to protect workers in environments where hot sparks or flames are present. A flame symbol is embroidered at the rear on both sides of the cap, so that it is clearly visible a flame resistant cap is being worn in areas identified to be a flammable risk.

- ✦ No direct ventilation holes helps reduce potential burn risk
- ✦ Completely flame retardant (coated cotton) outer cap
- ✦ Over-locked outer fabric safeguards against internal ignition
- ✦ CE certified to EN 812 including optional 'resistance to flame' clause
- ✦ Flexible ABS protective shell guards against bumps and lacerations to the head



# 3M™ First Base™ 3 Beanie Bump Cap

✦ Elasticated knitted acrylic beanie cap provides

- a fit to a wide range of head sizes
  - ✦ Stylish cap design
  - ✦ Designed for use in cold temperatures
  - ✦ Flexible ABS protective shell guards against bumps and lacerations to the head
- \*ABS – (Acrylonitrile Butadiene Styrene)



# 3M™ First Base™ 3 Winter Bump Cap

The 3M First Base 3 Winter Bump Cap is designed with reflective materials which comply with ISO 20471.

- ✦ ISO 20471 compliant reflective materials
- ✦ Waterproof outer fabric maintains dryness
- ✦ Flexible protective shell guards against bumps and lacerations to the head
- ✦ Over ear fabric panels for cold weather environments
- ✦ Optional fluorescent colours offering enhanced visibility



# 3M™ First Base™ 3 Police Bump Cap

The 3M First Base 3 Police Bump Cap provides a modern and practical alternative to the Police Custodian or Traffic Officer hats and non protective baseball style caps, allowing officer's to conduct their duties in an uninhibited way. Appearance integrates with existing police uniform, First Base 3 is the modern day practical Police headwear solution.

- ✦ Choice of three First Base 3 cap styles – Search, Firearms and Roads Policing
- ✦ Flexible protective inner shell guards against bumps and lacerations to the head
- ✦ Reduced peak design allows uninhibited vision
- ✦ Provides a universal fit to a wide range of head sizes (52- 65cm)
- ✦ CE certified to EN 812 – European Industrial Bump Protection Standard
- ✦ Optional belt clip fits over the Police Equipment Belt or attaches to a kit



Police Search



Police Firearms



# 3M™ First Base™ 3 Bump Cap

Product #	3M ID #	EAN	Description	Colour	Peak length	Quantity per case
<b>Classic</b>						
2021866	7100217844	4054596712638	3M™ FB3 Bumpcap Classic	High Visibility Yellow	Reduced Peak (55 mm)	20
2021868	7100217845	4054596712676	3M™ FB3 Bumpcap Classic	High Visibility Yellow	Reduced Peak (55 mm)	50
2021874	7100217846	4054596712690	3M™ FB3 Bumpcap Classic	High Visibility Orange	Reduced Peak (55 mm)	20
2021875	7100217847	4054596713949	3M™ FB3 Bumpcap Classic	High Visibility Orange	Standard Peak (70 mm)	20
2021877	7100217848	4054596713987	3M™ FB3 Bumpcap Classic	High Visibility Orange	Standard Peak (70 mm)	50
2030031	7100217850	4054596714809	3M™ FB3 Bumpcap Classic	Navy Blue	Reduced Peak (55 mm)	20
2030033	7100217851	4054596714847	3M™ FB3 Bumpcap Classic	Navy Blue	Reduced Peak (55 mm)	50
2030037	7100217852	4054596714861	3M™ FB3 Bumpcap Classic	Navy Blue	Micro Peak (25 mm)	20
2030039	7100217853	4054596714922	3M™ FB3 Bumpcap Classic	Navy Blue	Micro Peak (25 mm)	50
2030043	7100217854	4054596715172	3M™ FB3 Bumpcap Classic	Navy Blue	Standard Peak (70 mm)	20
2030045	7100217855	4054596715240	3M™ FB3 Bumpcap Classic	Navy Blue	Standard Peak (70 mm)	50
2030595	7100217856	4054596715264	3M™ FB3 Bumpcap Classic	Dark Green	Micro Peak (25 mm)	20
2030596	7100217857	4054596715295	3M™ FB3 Bumpcap Classic	Dark Green	Reduced Peak (55 mm)	20
2030597	7100217858	4054596715325	3M™ FB3 Bumpcap Classic	Red	Standard Peak (70 mm)	20
2030599	7100217859	4054596715356	3M™ FB3 Bumpcap Classic	Royal Blue	Standard Peak (70 mm)	20
2030601	7100217860	4054596715387	3M™ FB3 Bumpcap Classic	Royal Blue	Reduced Peak (55 mm)	20
2030604	7100217861	4054596715417	3M™ FB3 Bumpcap Classic	White	Reduced Peak (55 mm)	20
2030605	7100217862	4054596715448	3M™ FB3 Bumpcap Classic	Grey	Standard Peak (70 mm)	20
2030606	7100217863	4054596715523	3M™ FB3 Bumpcap Classic	Grey	Micro Peak (25 mm)	20
2030607	7100217864	4054596715547	3M™ FB3 Bumpcap Classic	Grey	Reduced Peak (55 mm)	20
2030608	7100217865	4054596715592	3M™ FB3 Bumpcap Classic	Black	Standard Peak (70 mm)	20
2030609	7100217866	4054596715622	3M™ FB3 Bumpcap Classic	Black	Micro Peak (25 mm)	20
2030610	7100217867	4054596715660	3M™ FB3 Bumpcap Classic	Black	Reduced Peak (55 mm)	20
2030616	7100217868	4054596715691	3M™ FB3 Bumpcap Classic	Red	Reduced Peak (55 mm)	20
2030655	7100217869	4054596715738	3M™ FB3 Bumpcap Classic	Royal Blue	Reduced Peak (55 mm)	50
2030661	7100217870	4054596715769	3M™ FB3 Bumpcap Classic	White	Reduced Peak (55 mm)	50
2030664	7100217871	4054596715790	3M™ FB3 Bumpcap Classic	Grey	Micro Peak (25 mm)	50
2030665	7100217872	4054596715837	3M™ FB3 Bumpcap Classic	Grey	Reduced Peak (55 mm)	50

# 3M™ First Base™ 3 Bump Cap (continued)

Product #	3M ID #	EAN	Description	Colour	Peak length	Quantity per case
<b>Elite</b>						
2021900	7100217849	4054596714694	3M™ FB3 Bumpcap Elite	High Visibility Orange	Micro Peak (25 mm)	20
2031214	7100217873	4054596712324	3M™ FB3 Bumpcap Elite	Navy/Grey	Standard Peak (70 mm)	20
2031215	7100217874	4054596712225	3M™ FB3 Bumpcap Elite	Navy/Grey	Micro Peak (25 mm)	20
2031216	7100217875	4054596712140	3M™ FB3 Bumpcap Elite	Navy/Grey	Reduced Peak (55 mm)	20
2031217	7100217876	4054596712119	3M™ FB3 Bumpcap Elite	Black/Grey	Standard Peak (70 mm)	20
2031219	7100217877	4054596712089	3M™ FB3 Bumpcap Elite	Black/Grey	Reduced Peak (55 mm)	20
2031222	7100217878	4054596712058	3M™ FB3 Bumpcap Elite	Grey/Black	Reduced Peak (55 mm)	20
2031232	7100217879	4054596712034	3M™ FB3 Bumpcap Elite	Navy/Grey	Standard Peak (70 mm)	50
<b>Extra</b>						
2021101	7100217750	4054596705234	3M™ FB3 Bumpcap Extra	Navy Blue	Reduced Peak (55 mm)	20
2021128	7100217751	4054596705630	3M™ FB3 Bumpcap Extra	Black	Reduced Peak (55 mm)	20
2021155	7100217752	4054596705661	3M™ FB3 Bumpcap Extra	Grey	Reduced Peak (55 mm)	20
<b>Flame Resistant</b>						
2021254	7100217841	4054596710481	3M™ FB3 Bumpcap Flame Resistant	Navy Blue	Reduced Peak (55 mm)	20
2021726	7100217843	4054596711679	3M™ FB3 Bumpcap Flame Resistant	Navy Blue	Micro Peak (25 mm)	20
<b>Beanie</b>						
2021173	7100217833	4054596705692	3M™ FB3 Bumpcap Beanie	Navy Blue	Reduced Peak (45 mm)	20
2021182	7100217834	4054596705777	3M™ FB3 Bumpcap Beanie	Black	Reduced Peak (45 mm)	20
2021191	7100217835	4054596705821	3M™ FB3 Bumpcap Beanie	Grey	Reduced Peak (45 mm)	20
<b>Winter</b>						
2021200	7100217836	4054596705852	3M™ FB3 Bumpcap Winter	Navy Blue	Reduced Peak (55 mm)	20
2021209	7100217837	4054596705883	3M™ FB3 Bumpcap Winter	High Visibility Yellow	Reduced Peak (55 mm)	20
2021218	7100217838	4054596705913	3M™ FB3 Bumpcap Winter	High Visibility Orange	Reduced Peak (55 mm)	20
<b>Police</b>						
2021227	7100217839	4054596706170	3M™ FB3 Bumpcap Police Search	Black	Reduced Peak (55 mm)	20
2021236	7100217840	4054596710450	3M™ FB3 Bumpcap Police Firearms	Black	Reduced Peak (55 mm)	20
<b>Accessories</b>						
2021701	7100217842	4054596721845	3M™ FB3 Bumpcap Accessory	Black	N/A	20

3M™ First Base™ 3 Bump Caps provide limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death. For proper use and selection see Supervisor, User Instructions or call MStella Projects. 3M PSD products are for occupational use only.

**MStella Projects (Pty) Ltd**  
Cape Town, South Africa  
**Phone:** 082 455 9878  
**Website:** [www.mstella.co.za](http://www.mstella.co.za)  
**Email:** [info@mstella.co.za](mailto:info@mstella.co.za)

**Always read and follow  
user instructions.**





# 3M™ 4000+ Series Reusable Half Face Masks

## Technical datasheet

### Product description

The 3M 4000+ Series Reusable Half Face Masks are a range of ready-to-use, maintenance-free half face masks, designed for effective and comfortable protection against many gases, vapours and combination particulate hazards.

### Key features

- ✦ Disposable, maintenance-free half mask
- ✦ Twin inhalation valves and large, bonded carbon filters with permanently attached particulate filters
- ✦ Easy to use as no need for assembly, maintenance or record keeping
- ✦ Optional overspray guard (400+)

### Product range and intended use

The 3M 4000+ Series Reusable Half Face Masks come in

a variety of different product options:

- ✦ 3M™ 4251+ (FFA1P2 R D) provides protection against organic vapours (good warning properties and b.pt. > 65°C), up to 10x exposure limit or 1000 parts per million (ppm), whichever is lower, and 12x exposure limit for particulates
- ✦ 3M™ 4255+ (FFA2P3 R D) provides protection against organic vapours (good warning properties and b.pt. > 65°C), up to 10x exposure limit or 5000 ppm, whichever is lower and 50x exposure limit for particulates
- ✦ 3M™ 4277+ (FFABE1P3 R D) provides protection against organic vapours (good warning properties and b.pt. > 65°C), inorganic and acid gases up to 10x exposure limit or 1000 ppm, whichever is lower and 50x exposure limit for particulates
- ✦ 3M™ 4279+ (FFABEK1P3 R D) provides protection against organic vapours (good warning properties and b.pt. > 65°C), inorganic and acid gases and ammonia, up to 10x exposure limit or 1000 ppm, whichever is lower and 50x exposure limit for particulates



Pictured: 3M™ 4251+ (FFA1P2 R D)

### Standards and approval

The 3M 4000+ Series Respirators meet the

performance requirements of the European Standard EN 405:2001+A1:2009 for valved filtering half-mask respirators for gases, vapours and particulate combinations.

The Certificate and Declaration of Conformity available at the following website [www.3m.com/Respiratory/certs](http://www.3m.com/Respiratory/certs) Declaration of conformity (DOC) available from [www.3m.com/Respiratory/certs](http://www.3m.com/Respiratory/certs)

## Materials

Component	Material
Facemask	Thermoplastic elastomer
Head harness	Polypropylene
Head strap	Polyisoprene/cotton
Inhalation valve	Polyisoprene
Exhalation valve	Silicone rubber
Gas and vapour filter body	Activated carbon
Particulate filter element	Polypropylene

Materials from animal origin are not intentionally added to these products

## Key use limitation

1. This respirator does not supply oxygen. Do not use in atmospheres containing less than 19.5% oxygen.
2. Do not use for respiratory protection against atmospheric contaminants that have poor warning properties or are unknown or immediately dangerous to life and health (IDLH) or against contaminants which generate high heats of reaction with chemical filters.
3. Do not misuse, alter, modify or repair this product.
4. Do not use with beards or other facial hair that prevent direct contact between face and edge of the respirator.
5. Do not use with unknown concentrations of contaminants.
6. Leave the work area immediately and check the integrity of the respirator and replace face mask if:
  - a. Damage has occurred or is apparent.
  - b. Breathing becomes difficult or increased breathing resistance occurs.
  - c. Dizziness or other distress occurs.
  - d. You taste or smell the contaminant or an irritation occurs.
7. Use strictly in accordance with respirator and filter user instruction leaflet.

For full use limitations please refer to the product user instructions.

## Shelf life

Shelf life\*: 3 years from production date when stored at storage conditions described on packaging.

\*The shelf life as defined above remains indicative and maximum data, subject

to many external and non-controllable factors. It may never be interpreted as a warranty.

## Important notice

The use of the 3M product, described within this document assumes that the user has previous experience of this type of product and that it will be used by a competent professional. Before any use of this product, it is recommended to complete some trials to validate the performance of the product within its expected application.

All information and specification details contained within this document are inherent to this specific 3M product and would not be applied to other products or environments. Any action or usage of this product made in violation of this document is at the risk of the user.

Compliance to the information and specification relative to the 3M product contained within this document does not exempt the user from compliance with additional guidelines (safety rules, procedures). Compliance to operational requirements especially in respect to the environment and usage of tools with this product must be observed. The 3M group (which cannot verify or control those elements) would not be held responsible for the consequences of any violation of these rules which remain external to its decision and control.

Warranty conditions for 3M products are determined with the sales contract documents and with the mandatory and applicable clause, excluding any other warranty or compensation.

Respiratory Protection is only effective if it is correctly selected, fitted and worn throughout the time when the wearer is exposed to respiratory contaminants. 3M offers advice on the selection of products, and training in the correct fitting and usage.

For more information on 3M products and services please contact 3M.

**MStella Project (Pty) Ltd**  
Cape Town, South Africa  
**Phone:** 082 455 9878  
**Website:** [www.mstella.co.za](http://www.mstella.co.za)  
**Email:** [info@mstella.co.za](mailto:info@mstella.co.za)



3M Occupational Health and Environmental Safety Division

## Product catalogue

- Maintenance Free Respirators
- Reusable Filter Gas and Vapour Combinations
- Air Monitoring Systems
- Hearing Protection
- 3M Eyewear
- Powered and Supplied Air
- 3M™ Speedglas™

## Maintenance Free Respirators

### Dust and Mist



**8710**  
Type: FFP1  
Maximum use level: 4 x TLV  
Suggested applications:  
Grinding, sanding, sweeping,  
bagging, wood-working and  
other dusty operations.



**8812**  
Type: FFP1  
Maximum use level: 4 x TLV  
Suggested applications:  
Grinding, sanding, sweeping,  
bagging, wood-working and  
other dusty operations.



**8810**  
Type: FFP2  
Maximum use level: 12 x TLV  
Suggested applications:  
Grinding, sanding, asbestos,  
bagging, wood-working,  
foundries, mining and other  
dusty operations.



**8822**  
Type: FFP2  
Maximum use level: 12 x TLV  
Suggested applications:  
Grinding, sanding, asbestos,  
bagging, wood-working,  
foundries, mining and other  
dusty operations.



**9925**  
Type: FFP2  
Maximum use level: 12 x TLV  
Where ozone is present.  
Suggested applications:  
Welding, brazing, soldering,  
torch cutting, metal pouring,  
grinding, sanding, sweeping,  
bagging, other dusty/hot  
operations.



Adjustable wide straps for  
comfortable fit.  
Large soft face seal provides  
excellent wearer comfort and  
protection.

### Welding



**9928**  
Type: FFP2  
Maximum use level: 12 x TLV  
Where ozone is present.  
Suggested applications:  
Welding, brazing, soldering,  
torch cutting, metal pouring,  
grinding, sanding, sweeping,  
bagging, other dusty/hot,  
foundry/petrochemical  
operations.



**8835**  
Type: FFP3  
Maximum use level: 50 x TLV  
Suggested applications:  
Pharmaceuticals, battery  
manufacturing, ship building,  
ship repairing, chemical  
processing, construction, iron  
and steel foundries, welding  
and soldering.



**9322**  
Type: FFP2  
Maximum use level: 12 x TLV  
Suggested applications:  
Grinding, sanding, asbestos,  
bagging, wood-working,  
foundries, mining and other  
dusty operations.



**9332**  
Type: FFP3  
Maximum use level: 50 x TLV  
Suggested applications:  
Grinding, sanding, asbestos,  
bagging, wood-working,  
foundries, mining and other  
dusty operations.



**K102**  
Type: FFP2  
Maximum use level: 12 x TLV  
Suggested applications:  
Grinding, sanding, asbestos,  
bagging, wood-cutting,  
foundries, mining and other  
dusty operations.



**K112**  
Type: FFP2  
Maximum use level: 12 x TLV  
Suggested applications:  
Grinding, sanding, asbestos,  
bagging, wood-cutting,  
foundries, mining and other  
dusty operations.

### Flat Fold

### Flat Fold



**K113**  
Type: FFP3  
Maximum usage level: 50 x TLV  
Suggested Applications:  
Grinding, sanding, asbestos,  
bagging, wood-cutting,  
foundries, mining and other  
dusty operations.



**9913**  
Type: FFP1  
Maximum use level: 4 x TLV  
Suggested applications:  
Foundry operations, lab  
settings, agriculture,  
petrochemical manufacturing,  
undercoating.



**9915**  
Type: FFP1  
Maximum use level: 4 x TLV  
Suggested applications:  
Glass etching, chemical  
manufacturing, paper  
processing, brewing  
operations, aluminium  
smelting.



**9926**  
Type: FFP2  
Maximum use level: 12 x TLV  
Suggested applications:  
Foundry operations, lab  
settings, agriculture,  
petrochemical manufacturing,  
undercoating.



**4251**  
Type: FFA1P1  
Maximum use level: Organic  
vapours up to 10 x OEL;  
Particulates up to 4 x OEL  
Suggested applications:  
Spray paint, pesticides.

### Nuisance Odour and Spray Paint

## Replaceable Filter Gas and Vapour Combinations

### Face Pieces



**6300**  
These face pieces can be used with 6000 Series cartridges, fit lters, adapters and retainers.  
Note: These face pieces also can be used as a dual airline supplied air respirator system.  
Face pieces available in different sizes.



**6800**



**7502**

### Gas and Vapour Cartridges



**6051**  
Type: A1 Use for protection  
against organic vapours; used  
in industries such as vehicle  
and aircraft manufacture,  
where conventional paint is  
used and adhesive  
manufacture.



**6055**  
Type: A2  
Use for protection against  
organic vapours up to  
10 x OEL.



**6054**  
Type: K1  
Use for protection against  
ammonia and methylamine  
up to 10 x OEL.

## Replaceable Filter Gas and Vapour Combinations cont.

### Gas and Vapour Cartridges



**6057**  
Type: ABE1  
Use for protection against organic, inorganic vapours and acid gases up to 10 x OEL.



**6059**  
Type: ABEK1  
Use for protection against organic, inorganic vapours, acid gases and ammonia up to 10 x OEL.



**6075**  
Type: Formaldehyde  
Use for protection against formaldehyde up to 10 x OEL.



**6096**  
Type: Mercury  
Use for protection against mercury, vapour and particulate up to 10 x OEL.

### Pre-Filters



**5925**  
Type: P2  
Use for grinding, sanding, asbestos, wood-working, foundries, mining and as a pre-filter in gas and vapour combinations.



**5935**  
Type: P3

### Pre-Filters



**2128**  
Type: P2  
Use for protection against particulates up to 10 x OEL nuisance level organic vapour and acid gas relief.



**6038**  
Type: P3  
Use for protection against particulates up to 20 x OEL on a half face mask and up to 50 x OEL on a full face mask.



**2135**  
Type: P3  
Use for grinding, sanding, asbestos, wood-working, foundries and mining up to 20 x OEL.



**2138**  
Type: P3  
Use for protection against particulates up to 20 x OEL and nuisance level organic vapour relief.

### Cleaning Wipes



**504**  
250mm x 200mm  
Alcohol free towelettes.  
Use for cleaning face pieces.



The unique, compatible Bayonet Filter Attachment System allows different types of filters to just be clicked into place ensuring optimum ease of use.

3M Half and Full Face respirators stand out in terms of quality and reliability. The choice of the right mask and filter type depends on your particular working environment and individual requirements.

## Air Monitoring Systems

### Organic Vapour



3500

### Ethylene Oxide



3551

### Formaldehyde



3721

The economical, accurate way to monitor your workplace. 3M Air Monitors are simple and effective devices that collect certain airborne contaminants using the scientific principle of diffusion. They meet or exceed  $\pm 25\%$  accuracy at a 95% confidence level for many workplace contaminants.

## Hearing Protection

### Disposable



**1100/1110**  
Corded and uncorded.  
SNR 37 db NRR 29 db

### Washable



**Ultrafit**  
Model 1261 includes a storage case with chain.  
SNR 32 db NRR 25 db



**Push-ins**  
Available corded or uncorded.  
SNR 32 db NRR 28 db



**Tracers**  
Metal Detectable Version.  
SNR 32 db NRR 25 db



**1271**  
Model 1271 includes a storage case with chain.  
SNR 25 db NRR 25 db

### Ear Muffs



**H6A/V**  
SNR 27 db  
NRR 25 db  
Very light weight, providing high wearer comfort. It combines a low profile with generous inner depth which makes it easy to combine with other equipment, allowing the ear to rest comfortably.

### Ear Muffs



**H9A**  
SNR 31 db  
NRR 24 db

This earmuff has been developed for demanding noisy environments and muffles even extremely low frequencies to a maximum degree. The sealing rings are filled with a unique combination of fluid and foam. Suitable for environments with substantial industrial noise or construction machinery, airports and agricultural work.



**H10A**  
SNR 35 db  
NRR 23 db

The H10A is a high performance hearing protector and has been developed for use in extremely noisy environments. This earmuff stands for effective protection and highest comfort for the wearer. The product is also available in a Di-electric version without visible metal parts and in Hi-Viz green for workers who need hearing protection and extra visibility.

## Eyewear



### Overspecs

Picture: 2800  
Over spectacles are designed to fit over most users' prescription spectacles with minimal interference. Adjustable length temples (four positions) for optimal comfort and fit.



### Classic Line

Picture: 2720  
Cost-effective protection and comfort. 2720 Classic Line spectacles are lightweight and offer the wearer high levels of comfort together with reliable protection.



### Comfort Line

Picture: Maxim  
Patented aspherical lens for 180 degrees of pure vision and superior eye coverage. DX coating to resist fogging, scratching and chemicals.



### Premium Line

Picture: Peltor Fuel  
Ventilation system on nose bridge and temples to prevent fogging. Triple Refl ex Coating: better scratch resistance, high quality mirror and Extreme UV protection.



### Goggles

Picture: 2890  
The 2890 Safety Goggles features a modern, slim design. It is available with four different options using either an acetate or polycarbonate lens with either sealed or indirect ventilation.



### Hybrid Goggles

Picture: Maxim Hybrid  
This new product provides high comfort and unsurpassed protection against liquid droplets and mechanical hazards. The high performance ventilation system overcomes fogging while keeping liquid and dust out of the goggle.

## Powered Air and Airfed Modular Respirator Range

### S-Series Headcovers



S-133

3M Powered Air Purifying Respiratory systems provide comfortable, efficient powered air protection. These systems are available in a wide range of headgear. They use interchangeable filters, cartridges and canisters to protect the wearer against gases, vapours and/or particulates.



S-333G



HT-707

This helmet features a heat resistant shell.



S-433



V500

The most comfortable and versatile Supplied-Air system for facepieces.



S-533



Jupiter

The 3M Jupiter unit can be attached to a wide range of headtops. This flexible approach allows you to select the right headtop and cartridges to perform your chosen task.

### Hoods with Knit Collar / Inner Bib



S-655



3M Dustmaster

A 3M Dustmaster Powered Air Purifying Respirator is designed to deal with dusts, mists, fumes and aerosols produced in the workplace, which can be injurious to the lungs.



S-657



S200

For use with any of the 3M range of bayonet facepieces: 6000 & 7000 full & half-masks. Adjustable airflow control at the waist (140->300) over a range of input pressure (3-7 bar).

### M-Series Headtop



M-100

M-100 Series Face Shields are lightweight, compact and well-balanced that offer integrated protection from a range of respiratory, eye, face and hearing hazards.



M-300

M-300 Series Helmets are lightweight, compact and well-balanced and offer integrated protection from a range of respiratory, head, eye, face and hearing hazards.



M-400

M-400 Series Helmets with shrouds for respiratory, eye, face and head protection with additional neck and shoulder coverage.



9100

The 9100 features a new, flexible head suspension that conforms to the welder's head to reduce pressure in pressure-sensitive areas. The revolutionary design allows the 9100 to cover more vulnerable areas, such as the ears and sides of the neck.



100S

The 100 Series includes the excellent 100V auto-darkening filter that provides uniform shading across the entire viewing area. The headband is designed to be adjusted with one hand, adaptable to different shaped faces and heads.



SL

This welding shield is made from a strong lightweight material with excellent protection. The Speedglas SL shield is non-absorbent so it retains its performance in high humidity.



Mechanical Skull



Blaze



Aces High

The latest range of Speedglas welding shields is designed specifically for the occasional welder who still values excellent protection, the light weight, user-friendly design is ideal for those who need to weld occasionally. 3M's design team has created five unique versions of the shield.